

## Safety Data Sheet

# 19 Mix phthalate ester in n-hexane

Version : V2.0.0.1

Report No. : BWQ0496-2016-MSDS-EP

Creation Date : 2025/12/26

Revision Date : -



\*Prepared in accordance with EU REACH Regulation (REACH 1907/2006 with amendment 2020/878)

## 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product Name	19 Mix phthalate ester in n-hexane
Cat No.	BWQ0496-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	-
UFI	No information available

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

### 1.3 Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

### 1.4 Emergency telephone number

Emergency telephone number	010-58103678
Opening hours	24h

## 2 Hazards identification

### 2.1 CLP classification according to Regulation ( EC ) No. 1272/2008 with amendment 2023/707

Flammable liquids	Category 2
Aspiration hazard	Category 1
Skin Corrosion/Irritation	Category 2
Specific target organ toxicity - single exposure; narcotic effects	Category 3

Reproductive toxicity	Category 2
Specific target organ toxicity - repeated exposure	Category 1
Hazardous to the aquatic environment - long-term (chronic) hazard	Category 3

## 2.2 Label elements

Hazard pictograms	
Signal word	<b>Danger</b>

## Hazard statements

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361f	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure (nervous system)
H412	Harmful to aquatic life with long lasting effects

## Precautionary statements

### ◆ Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

### ◆ Response

P312	Call a POISON CENTRE/ doctor/... if you feel unwell.
P314	Get medical advice/ attention if you feel unwell.
P321	Specific treatment (see related instructions on the label).
P331	Do NOT induce vomiting.

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	Small fire: dry chemical, CO <sub>2</sub> or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

◆ Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

◆ Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

## 2.3 Other hazards

◆ Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
N-hexane	Not PBT/vPvB
Dimethyl phthalate	Not PBT/vPvB
Diethyl phthalate	Not PBT/vPvB
Diisobutyl phthalate	the substance is handled as if it were a PBT/vPvB
Dibutyl phthalate	Not PBT/vPvB
Bis(2-methoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	Insufficient information, temporarily unable to evaluate
Bis(2-ethoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
Dipentyl phthalate	Insufficient information, temporarily unable to evaluate
Dihexyl phthalate	Insufficient information, temporarily unable to evaluate
Benzyl butyl phthalate	Not PBT/vPvB
Bis(2-butoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
Dicyclohexyl phthalate	Not PBT/vPvB
Bis(2-ethylhexyl) phthalate	Not PBT/vPvB
Diphenyl phthalate	Insufficient information, temporarily unable to evaluate
Diocetyl phthalate	Insufficient information, temporarily unable to evaluate

Dinonyl phthalate	Insufficient information, temporarily unable to evaluate
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Not PBT/vPvB
Diallyl phthalate	Insufficient information, temporarily unable to evaluate
Tributyl phosphate	Not PBT/vPvB

◆ Results of endocrine disrupting properties assessment

Component	Results of endocrine disrupting properties assessment [according to (EU) No 2017/2100 or (EU) No 2018/605]
N-hexane	Insufficient information, temporarily unable to evaluate
Dimethyl phthalate	Insufficient information, temporarily unable to evaluate
Diethyl phthalate	Insufficient information, temporarily unable to evaluate
Diisobutyl phthalate	Insufficient information, temporarily unable to evaluate
Dibutyl phthalate	Insufficient information, temporarily unable to evaluate
Bis(2-methoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	Insufficient information, temporarily unable to evaluate
Bis(2-ethoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
Dipentyl phthalate	Insufficient information, temporarily unable to evaluate
Dihexyl phthalate	Insufficient information, temporarily unable to evaluate
Benzyl butyl phthalate	Insufficient information, temporarily unable to evaluate
Bis(2-butoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
Dicyclohexyl phthalate	ED
Bis(2-ethylhexyl) phthalate	Insufficient information, temporarily unable to evaluate
Diphenyl phthalate	Insufficient information, temporarily unable to evaluate
Diocetyl phthalate	Insufficient information, temporarily unable to evaluate
Dinonyl phthalate	Insufficient information, temporarily unable to evaluate
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Insufficient information, temporarily unable to evaluate
Diallyl phthalate	Insufficient information, temporarily unable to evaluate
Tributyl phosphate	Insufficient information, temporarily unable to evaluate

◆ Other

Not applicable.

### 3 Composition/information on ingredients

#### 3.1 Substance

Not applicable

### 3.2 Mixture

Component	Weight % content(or range)	Classification according to Regulation ( EC ) No. 1272/2008 with amendment 2023/707 [CLP]	Specific Conc. Limits, M-factors
<b>N-hexane</b> CAS : 110-54-3 EC : 203-777-6 Index No. : 601-037-00-0	99.70	Flammable liquids, Category 2, H225; Aspiration hazard, Category 1, H304; Skin Corrosion/Irritation, Category 2, H315; Specific target organ toxicity - single exposure; narcotic effects, Category 3, H336; Reproductive toxicity, Category 2, H361; Specific target organ toxicity - repeated exposure, Category 1, H372; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>Dimethyl phthalate</b> CAS : 131-11-3 EC : 205-011-6 Index No. : -	0.015	Not Classified	-
<b>Diethyl phthalate</b> CAS : 84-66-2 EC : 201-550-6 Index No. : -	0.015	Not Classified	-
<b>Diisobutyl phthalate</b> CAS : 84-69-5 EC : 201-553-2 Index No. : 607-623-00-2	0.015	Reproductive toxicity, Category 1B, H360	-
<b>Dibutyl phthalate</b> CAS : 84-74-2 EC : 201-557-4 Index No. : 607-318-00-4	0.015	Reproductive toxicity, Category 1B, H360; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	-
<b>Bis(2-methoxyethyl) phthalate</b> CAS : 117-82-8 EC : 204-212-6 Index No. : 607-228-00-5	0.015	Reproductive toxicity, Category 1B, H360	-
<b>4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine</b> CAS : 68084-63-9 EC : 268-449-7 Index No. : -	0.015	No information available	-
<b>Bis(2-ethoxyethyl) phthalate</b> CAS : 605-54-9 EC : 210-090-5 Index No. : -	0.015	Not Classified	-
<b>Dipentyl phthalate</b> CAS : 131-18-0 EC : 205-017-9 Index No. : 607-426-00-1	0.015	Reproductive toxicity, Category 1B, H360; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	-
<b>Dihexyl phthalate</b> CAS : 84-75-3 EC : 201-559-5 Index No. : 607-702-00-1	0.015	Reproductive toxicity, Category 1B, H360	-
<b>Benzyl butyl phthalate</b> CAS : 85-68-7 EC : 201-622-7 Index No. : 607-430-00-3	0.015	Reproductive toxicity, Category 1B, H360; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	-

<b>Bis(2-butoxyethyl) phthalate</b> CAS : 117-83-9 EC : 204-213-1 Index No. : -	0.015	Not Classified	-
<b>Dicyclohexyl phthalate</b> CAS : 84-61-7 EC : 201-545-9 Index No. : 607-719-00-4	0.015	Sensitization - skin, Category 1, H317; Reproductive toxicity, Category 1B, H360	-
<b>Bis(2-ethylhexyl) phthalate</b> CAS : 117-81-7 EC : 204-211-0 Index No. : 607-317-00-9	0.015	Reproductive toxicity, Category 1B, H360	-
<b>Diphenyl phthalate</b> CAS : 84-62-8 EC : 201-546-4 Index No. : -	0.015	Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	-
<b>Diocetyl phthalate</b> CAS : 117-84-0 EC : 204-214-7 Index No. : -	0.015	Not Classified	-
<b>Dinonyl phthalate</b> CAS : 84-76-4 EC : 201-560-0 Index No. : -	0.015	Acute Toxicity - Oral, Category 4, H302	-
<b>1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</b> CAS : 68515-48-0 EC : 271-090-9 Index No. : -	0.015	Not Classified	-
<b>Diallyl phthalate</b> CAS : 131-17-9 EC : 205-016-3 Index No. : 607-086-00-4	0.015	Acute Toxicity - Oral, Category 4, H302; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	-
<b>Tributyl phosphate</b> CAS : 126-73-8 EC : 204-800-2 Index No. : 015-014-00-2	0.03	Acute Toxicity - Oral, Category 4, H302; Skin Corrosion/Irritation, Category 2, H315; Carcinogenicity, Category 2, H351	-

## 4 First-aid measures

### 4.1 Description of first aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
<b>Eye contact</b>	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
<b>Skin contact</b>	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Rest. Refer for medical attention.
<b>Inhalation</b>	Fresh air, rest. Refer for medical attention.
<b>Protecting of first-aiders</b>	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

#### 4.2 Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
---	--

#### 4.3 Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

### 5 Fire-fighting measures

#### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Small fire: dry chemical, CO <sub>2</sub> or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
<b>Unsuitable extinguishing media</b>	Use of water spray when fighting fire may be inefficient.

#### 5.2 Specific hazards arising from the substance or mixture

1	Will form explosive mixtures with air.
2	Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/or vapour concentration.
3	Vapours may travel to source of ignition and flash back.
4	Liquid and vapour are flammable.
5	Development of hazardous combustion gases or vapor possible in the event of fire.
6	May expansion or decompose explosively when heated or involved in fire.

#### 5.3 Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

### 6 Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

1	Avoid breathing vapours and contacting with skin and eye.
2	Beware of vapours accumulating to form explosive concentrations.
3	Vapours can accumulate in low areas.
4	Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
5	Use personal protective equipment, do not breathe gas/mist/vapour/spray.
6	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
7	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2 Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

1	It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
2	In case of small amount of spillage, use clean non sparking tools to collect absorption materials.
3	In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space.
4	Collect absorbent material using a clean, non-sparking tool.
5	Cover with anti-solvent foam to reduce evaporation.
6	Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
7	Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.
8	Cut off the source of the leak as much as possible.
9	Keep leaks in a ventilated place.
10	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
11	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
12	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.
13	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4 Reference to other sections

1	Personal Protective Equipment advice is contained in Section 8 of the SDS.
2	Disposal considerations advice is contained in Section 13 of the SDS.

## 7 Handling and storage

### 7.1 Precautions for safe handling

#### ◆ Protective measures

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.

#### ◆ Measures to prevent fire

1	Use only non-sparking tools.
2	To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
3	Use explosion proof equipment.
4	Keep away from heat/sparks/open flames/ hot surfaces.

#### ◆ Measures to prevent aerosol and dust generation

1	Not applicable.
---	-----------------

#### ◆ Advice on general occupational hygiene

1	Wash hands and face after using the substances.
2	Replace the contaminated clothing immediately.

### 7.2 Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.

3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

### 7.3 Specific end use(s)

1	In addition to use mentioned in the Section 1.2, unforeseen other specific end uses.
---	--

## 8 Exposure controls/personal protection

### 8.1 Control parameters

#### ◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
N-hexane	Japan - JSOH(2024–2025)	40	140	-	-
	Permissible exposure standards for workers in the workplace	50	176	75	220
	European Union	20	72	-	-
	France	20	72	-	-
	Germany (AGS)	50	180	400	1440
	Germany (DFG)	50	180	400	1440
Dimethyl phthalate	Permissible exposure standards for workers in the workplace	-	5	-	10
	France	-	5	-	-
	United Kingdom	-	5	-	10
	Belgium	-	5	-	-
	Denmark	-	3	-	6
	Finland	-	5	-	10
Diethyl phthalate	Japan - JSOH(2024–2025)	-	5	-	-
	Permissible exposure standards for workers in the workplace	-	5	-	10
	France	-	5	-	-
	United Kingdom	-	5	-	10
	Austria	-	3	-	5
	Belgium	-	5	-	-
Diisobutyl phthalate	United Kingdom	-	5	-	-
	Denmark	-	3	-	6

	Ireland	-	5	-	-
	Latvia	-	1	-	-
	New Zealand	-	5	-	-
<b>Dibutyl phthalate</b>	Japan - JSOH(2024-2025)	-	5	-	-
	Permissible exposure standards for workers in the workplace	-	5	-	10
	France	-	5	-	-
	Germany (AGS)	0.05	0.58	0.1	1.16
	Germany (DFG)	0.05	0.58	0.1	1.16
	United Kingdom	-	5	-	10
	<b>Benzyl butyl phthalate</b>	Germany (AGS)	-	20	-
Germany (DFG)		-	20	-	40
United Kingdom		-	5	-	-
Austria		-	3	-	5
Denmark		-	3	-	6
New Zealand		-	5	-	-
<b>Dicyclohexyl phthalate</b>	United Kingdom	-	5	-	-
	Austria	-	5	-	-
	Denmark	-	3	-	6
	Ireland	-	5	-	-
	New Zealand	-	5	-	-
<b>Bis(2-ethylhexyl) phthalate</b>	Japan - JSOH(2024-2025)	-	5	-	-
	Permissible exposure standards for workers in the workplace	-	5	-	10
	France	-	5	-	-
	Germany (AGS)	-	2	-	4
	Germany (DFG)	-	2	-	4
	United Kingdom	-	5	-	10
	<b>Diocetyl phthalate</b>	Austria	-	5	-
Norway		-	3	-	-
Romania		0.1	2	0.3	5
Sweden		-	3	-	5
Singapore		-	5	-	-
<b>Dinonyl phthalate</b>	United Kingdom	-	5	-	-

	Austria	-	5	-	-
	Ireland	-	5	-	-
	Latvia	-	1	-	-
	New Zealand	-	5	-	-
<b>Diallyl phthalate</b>	United Kingdom	-	5	-	-
	Austria	-	5	-	-
	Denmark	-	3	-	6
	Ireland	-	5	-	-
	Latvia	-	1	-	-
	New Zealand	-	5	-	-
<b>Tributyl phosphate</b>	Permissible exposure standards for workers in the workplace	0.2	2.2	0.6	4.4
	France	0.2	2.5	-	-
	Germany (AGS)	1	11	2	22
	Germany (DFG)	1	11	2	22
	United Kingdom	-	5	-	5
	Austria	-	2.5	-	5

◆ Biological limit values

Component	Standard	Biological monitoring index	Biological limits value	Sampling time	Remark
<b>N-hexane</b>	USA -ACGIH	2,5-Hexanedione, without hydrolysis(Urine)	0.5mg/L	End of shift	
<b>Bis(2-ethylhexyl) phthalate</b>	USA -ACGIH	Mono(2-ethylhexyl)phthalate(Creatinine in urine)	5µg/g	End of shift	
		Mono(2-ethyl-5-hydroxyhexyl)phthalate(Creatinine in urine)	20µg/g	End of shift	
		Mono(2-ethyl-5-oxohexyl)phthalate(Creatinine in urine)	15µg/g	End of shift	
		Mono(2-ethyl-5-carboxypentyl)phthalate(Creatinine in urine)	25µg/g	End of shift	

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300 and GBZ/T 160 series standard Determination of toxic substances in workplace air.

◆ Derived No effect level (DNEL)

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
<b>N-hexane</b>	Inhalation	No data available	No data available	No data available	75 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Dimethyl phthalate</b>	Inhalation	No data available	No data available	No data available	66.1 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Diethyl phthalate</b>	Inhalation	No data available	No data available	No data available	10.56 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Diisobutyl phthalate</b>	Inhalation	No data available	No data available	No data available	2.94 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Dibutyl phthalate</b>	Inhalation	No data available	No data available	No data available	0.13 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Bis(2-methoxyethyl) phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>4-(2-ethoxy-5-methyl-4-nitrophenyl) morpholine</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Bis(2-ethoxyethyl) phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Dipentyl phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Dihexyl phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Benzyl butyl phthalate</b>	Inhalation	No data available	No data available	No data available	4.36 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Bis(2-butoxyethyl) phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available

	Dermal	No data available	No data available	No data available	No data available
<b>Dicyclohexyl phthalate</b>	Inhalation	No data available	No data available	No data available	35.2 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Bis(2-ethylhexyl) phthalate</b>	Inhalation	No data available	No data available	No data available	1.6 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Diphenyl phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Diethyl phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Dinonyl phthalate</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</b>	Inhalation	No data available	No data available	No data available	18.8 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Diallyl phthalate</b>	Inhalation	No data available	No data available	No data available	3.52 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Tributyl phosphate</b>	Inhalation	No data available	No data available	No data available	4.4 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

◆ Predicted No Effect Concentration (PNEC)

Component	A	B	C	D	E	F	G	H
<b>N-hexane</b>	No data available	No data available	No data available	No data available	No data available	No hazard identified	No data available	No potential for bioaccumulation
<b>Dimethyl phthalate</b>	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No potential for bioaccumulation
<b>Diethyl phthalate</b>	12 µg/L	1.2 µg/L	2 mg/L	137 µg/kg sediment dw	13.7 µg/kg sediment dw	No hazard identified	137 µg/kg soil dw	33 mg/kg food
<b>Diisobutyl phthalate</b>	1 µg/L	100 ng/L	1.45 mg/L	118 µg/kg sediment	11.8 µg/kg sediment	No hazard identified	23.1 µg/kg soil dw	No potential for

				dw	dw			bioaccumulation
<b>Dibutyl phthalate</b>	10 µg/L	1 µg/L	220 µg/L	1.19 mg/kg sediment dw	119 µg/kg sediment dw	No hazard identified	50 µg/kg soil dw	1.33 mg/kg food
<b>Benzyl butyl phthalate</b>	7.5 µg/L	750 ng/L	20 mg/L	7.89 mg/kg sediment dw	789 µg/kg sediment dw	No data available	1.57 mg/kg soil dw	100 mg/kg food
<b>Dicyclohexyl phthalate</b>	1.04 µg/L	104 ng/L	10 mg/L	1.06 mg/kg sediment dw	110 µg/kg sediment dw	No hazard identified	310 µg/kg soil dw	133 g/kg food
<b>Bis(2-ethylhexyl) phthalate</b>	No hazard identified	No hazard identified	201 mg/L	100 mg/kg sediment dw	20 mg/kg sediment dw	No hazard identified	13 mg/kg soil dw	3.3 mg/kg food
<b>1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</b>	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	30 mg/kg soil dw	No potential for bioaccumulation
<b>Diallyl phthalate</b>	2.3 µg/L	23 ng/L	22 mg/L	0.154 ng/kg sediment dw	0.002 ng/kg sediment dw	No hazard identified	1.77 µg/kg soil dw	No potential for bioaccumulation
<b>Tributyl phosphate</b>	35 - 82 µg/L	8.2 - 35 µg/L	1 mg/L	1.35 - 14.4 mg/kg sediment dw	1.35 - 1.44 mg/kg sediment dw	No hazard identified	640 - 2830 µg/kg soil dw	No potential for bioaccumulation

**Note 1:**

A: Freshwater; B: Seawater; C: Sewage treatment plant; D: Sediment (freshwater); E: Sediment (seawater); F: Air; G: Soil; H: Secondary poisoning(Hazard for Predators).

**Note 2:**

The PNEC values of the remaining components not shown in the product are not available yet.

## 8.2 Exposure controls

### 8.2.1 Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

### 8.2.2 Personal protection equipment

<b>General requirement</b>	
<b>Eye protection</b>	Must wear appropriate safety goggles.
<b>Hand protection</b>	Must wear anti static chemical protective gloves.
<b>Respiratory protection</b>	Must wear appropriate personal respiratory protective equipment.

<b>Skin and body protection</b>	Must wear anti static chemical protective clothing and anti static shoes.
---------------------------------	---

### 8.2.3 Environmental exposure controls

<b>Environmental exposure controls</b>	No information available
--	--------------------------

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	Clear, colorless liquid
<b>Colour</b>	Clear, colorless liquid
<b>Odor</b>	No information available
<b>Odor threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting point/freezing point(°C)</b>	-95 ( N-hexane )
<b>Initial boiling point and boiling range(°C)</b>	69 ( N-hexane )
<b>Flash point(Closed cup, °C)</b>	-22 ( N-hexane )
<b>Evaporation rate</b>	No information available
<b>Flammability</b>	No information available
<b>Upper/lower explosive limits[%(v/v)]</b>	Upper limit : 7.5 ( N-hexane ) ; Lower limit : 1.1 ( N-hexane )
<b>Vapor pressure</b>	17kPa ( 20°C,N-hexane )
<b>Vapor density(Air = 1)</b>	3.0 ( N-hexane )
<b>Relative density(Water=1)</b>	0.66~0.68 ( 20 °C,N-hexane )
<b>Solubility</b>	Insoluble in water ( N-hexane )
<b>n-octanol/water partition coefficient</b>	3.9 ( N-hexane )
<b>Auto-ignition temperature(°C)</b>	225 ( N-hexane )
<b>Decomposition temperature(°C)</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Particle characteristics</b>	Not applicable

### 9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

<b>Information with regard to physical hazard classes</b>	No information available
---	--------------------------

#### 9.2.2 Other safety characteristics

<b>Other safety characteristics</b>	No information available
-------------------------------------	--------------------------

## 10 Stability and reactivity

### Stability and reactivity

<b>10.1 Reactivity</b>	Contact with incompatible substances can cause decomposition or other chemical reactions.
<b>10.2 Chemical stability</b>	Stable under proper operation and storage conditions.

<b>10.3 Possibility of hazardous reactions</b>	In contact with an open flame may cause a fire or explosion.
<b>10.4 Conditions to avoid</b>	Incompatible materials, heat, flame and spark.
<b>10.5 Incompatible materials</b>	Oxidantss and halogen.
<b>10.6 Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11 Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 with amendment 2023/707

19 Mix phthalate ester in n-hexane	
<b>Skin corrosion/irritation</b>	Causes skin irritation(Category 2)
<b>Serious eye damage/irritation</b>	Based on available data, the classification criteria are not met
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met
<b>Reproductive toxicity</b>	Suspected of damaging fertility(Category 2)
<b>STOT-single exposure</b>	May cause drowsiness or dizziness(Category 3)
<b>STOT-repeated exposure</b>	Causes damage to organs through prolonged or repeated exposure(nervous system)(Category 1)
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways(Category 1)
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met

### Acute toxicity

Component	LD <sub>50</sub> (oral)	LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)
Diocetyl phthalate	47000mg/kg(Rat)	No information available	No information available
Dihexyl phthalate	29600mg/kg(Rat)	No information available	No information available
Diisobutyl phthalate	15000mg/kg(Rat)	No information available	No information available
Tributyl phosphate	3000mg/kg(Rat)	> 3100mg/kg(Rabbit)	No information available
Bis(2-ethylhexyl) phthalate	30000mg/kg(Rat)	25000mg/kg(Rabbit)	No information available
Dimethyl phthalate	8200mg/kg(Rat)	> 23800mg/kg(Rabbit)	No information available
Bis(2-butoxyethyl) phthalate	8380mg/kg(Rat)	No information available	No information available
Dibutyl phthalate	7499mg/kg(Rat)	> 20900mg/kg(Rabbit)	No information available
N-hexane	25000mg/kg(Rat)	No information available	169.188mg/L(Rat)
Bis(2-methoxyethyl) phthalate	3200mg/kg(Mouse)	No information available	No information available
Dicyclohexyl phthalate	34400mg/kg(Rat)	No information available	No information available
Dinonyl phthalate	21500mg/kg(Mouse)	No information available	No information available
Diethyl phthalate	8600mg/kg(Rat)	No information available	No information available
Diallyl phthalate	656mg/kg(Rat)	3300mg/kg(Rabbit)	No information available
Diphenyl phthalate	8000mg/kg(Rat)	No information available	No information available
Benzyl butyl phthalate	2330mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available

### Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
N-hexane	Not Listed	Not Listed
Dimethyl phthalate	Not Listed	Not Listed
Diethyl phthalate	Not Listed	Not Listed
Diisobutyl phthalate	Not Listed	Not Listed
Dibutyl phthalate	Not Listed	Not Listed
Bis(2-methoxyethyl) phthalate	Not Listed	Not Listed
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	Not Listed	Not Listed
Bis(2-ethoxyethyl) phthalate	Not Listed	Not Listed
Dipentyl phthalate	Not Listed	Not Listed
Dihexyl phthalate	Not Listed	Not Listed
Benzyl butyl phthalate	Category 3	Not Listed
Bis(2-butoxyethyl) phthalate	Not Listed	Not Listed
Dicyclohexyl phthalate	Not Listed	Not Listed
Bis(2-ethylhexyl) phthalate	Category 2B	Category R
Diphenyl phthalate	Not Listed	Not Listed
Diocetyl phthalate	Not Listed	Not Listed
Dinonyl phthalate	Not Listed	Not Listed
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Not Listed	Not Listed
Diallyl phthalate	Not Listed	Not Listed
Tributyl phosphate	Not Listed	Not Listed

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Component	Endocrine disrupting properties
N-hexane	No information available
Dimethyl phthalate	No information available
Diethyl phthalate	No information available
Diisobutyl phthalate	No information available
Dibutyl phthalate	No information available
Bis(2-methoxyethyl) phthalate	No information available
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	No information available
Bis(2-ethoxyethyl)	No information available

phthalate	
Dipentyl phthalate	No information available
Dihexyl phthalate	No information available
Benzyl butyl phthalate	No information available
Bis(2-butoxyethyl) phthalate	No information available
Dicyclohexyl phthalate	This substance causes developmental toxicity in male reproductive organs in the absence of marked maternal toxicity. A plausible mechanistic link between the toxic effects of concern and endocrine disruption (an anti-androgenic mode of action) is considered to be the explanation for the male reproductive system adverse effects.
Bis(2-ethylhexyl) phthalate	No information available
Diphenyl phthalate	No information available
Diocetyl phthalate	No information available
Dinonyl phthalate	No information available
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	No information available
Diallyl phthalate	No information available
Tributyl phosphate	No information available

### 11.2.2 Other Information

Other Information	See Section 11.1

## 12 Ecological information

### 12.1 Toxicity

#### Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Diocetyl phthalate	LC <sub>50</sub> : >20mg/L (96h)(Fish)	EC <sub>50</sub> : >0.00067mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : >20mg/L (72h)(Algae)
Dibutyl phthalate	LC <sub>50</sub> : 1.51mg/L (96h)(Fish)	EC <sub>50</sub> : 2.99mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 0.4mg/L (96h)(Algae)
N-hexane	LC <sub>50</sub> : 57.8mg/L (96h)(Fish)	No information available	No information available
Dicyclohexyl phthalate	LC <sub>50</sub> : 2mg/L (96h)(Fish)	EC <sub>50</sub> : >2.0mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : >2.0mg/L (72h)(Algae)
Diethyl phthalate	LC <sub>50</sub> : 12mg/L (96h)(Fish)	EC <sub>50</sub> : 86mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 45.2mg/L (96h)(Algae)
Diisobutyl phthalate	LC <sub>50</sub> : 3.0mg/L (96h)(Fish)	EC <sub>50</sub> : 6.7mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 1.8mg/L (72h)(Algae)
Tributyl phosphate	LC <sub>50</sub> : 9.1 mg/L (96h)(Fish)	EC <sub>50</sub> : 7.6mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 1.3mg/L (96h)(Algae)
Diallyl phthalate	LC <sub>50</sub> : 0.23mg/L (96h)(Fish)	EC <sub>50</sub> : 5.5mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 4.5mg/L (96h)(Algae)
Bis(2-ethylhexyl) phthalate	LC <sub>50</sub> : 75mg/L (96h)(Fish)	EC <sub>50</sub> : >100mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : >100mg/L (72h)(Algae)

<b>Benzyl butyl phthalate</b>	LC <sub>50</sub> : >1.1mg/L (96h)(Fish)	EC <sub>50</sub> : 1.8mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 0.11mg/L (96h)(Algae)
<b>Dimethyl phthalate</b>	LC <sub>50</sub> : 39mg/L (96h)(Fish)	EC <sub>50</sub> : 45.9mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 35.8mg/L (96h)(Algae)

### Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
<b>Diethyl phthalate</b>	No information available	NOEC : >0.00061mg/L(Crustaceans)	NOEC : 20mg/L(Algae)
<b>Dibutyl phthalate</b>	NOEC : 1.1mg/L(Fish)	NOEC : 0.33mg/L(Crustaceans)	NOEC : 0.3mg/L(Algae)
<b>Dicyclohexyl phthalate</b>	No information available	NOEC : 0.18mg/L(Crustaceans)	NOEC : 2.0mg/L(Algae)
<b>Diisobutyl phthalate</b>	NOEC : 0.39mg/L(Fish)	NOEC : 0.27mg/L(Crustaceans)	NOEC : 0.37mg/L(Algae)
<b>Tributyl phosphate</b>	No information available	NOEC : 1.0mg/L(Crustaceans)	NOEC : 3.4mg/L(Algae)
<b>Diallyl phthalate</b>	No information available	NOEC : 4.3mg/L(Crustaceans)	NOEC : 2.4mg/L(Algae)
<b>Bis(2-ethylhexyl) phthalate</b>	No information available	NOEC : 10mg/L(Crustaceans)	NOEC : 100mg/L(Algae)
<b>Benzyl butyl phthalate</b>	No information available	NOEC : 0.52mg/L(Crustaceans)	No information available

### 12.2 Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
<b>N-hexane</b>	Low	Low
<b>Dimethyl phthalate</b>	Low(Half-life = 14 days)	Low(Half-life = 46.58 days)
<b>Diethyl phthalate</b>	Media(Half-life = 112 days)	Low(Half-life = 8.83 days)
<b>Diisobutyl phthalate</b>	Low	Low
<b>Bis(2-methoxyethyl) phthalate</b>	Low	Low
<b>Dipentyl phthalate</b>	Low	Low
<b>Dihexyl phthalate</b>	Low	Low
<b>Benzyl butyl phthalate</b>	High(Half-life = 180 days)	Low(Half-life = 2.5 days)
<b>Bis(2-butoxyethyl) phthalate</b>	Low	Low
<b>Dicyclohexyl phthalate</b>	High	High
<b>Bis(2-ethylhexyl) phthalate</b>	High(Half-life = 389 days)	Low(Half-life = 1.21 days)
<b>Diethyl phthalate</b>	High(Half-life = 365 days)	Low(Half-life = 1.87 days)
<b>Dinonyl phthalate</b>	Low	Low
<b>Diallyl phthalate</b>	Low	Low
<b>Tributyl phosphate</b>	Low	Low

### 12.3 Bioaccumulative potential

Component	Bioaccumulative potential	Comments
N-hexane	Medium	Log Kow=3.9
Dimethyl phthalate	Low	BCF=57
Diethyl phthalate	Low	BCF=117
Diisobutyl phthalate	Medium	BCF=780
Bis(2-methoxyethyl) phthalate	Low	Log Kow=1.1146
Dipentyl phthalate	High	Log Kow=5.62
Dihexyl phthalate	High	Log Kow=6.82
Benzyl butyl phthalate	Medium	BCF=663
Bis(2-butoxyethyl) phthalate	Medium	Log Kow=4.0612
Dicyclohexyl phthalate	High	Log Kow=5.6
Bis(2-ethylhexyl) phthalate	High	BCF=24500
Diocetyl phthalate	Low	Log Kow=8.1
Dinonyl phthalate	Low	Log Kow=9.521
Diallyl phthalate	Low	Log Kow=3.23
Tributyl phosphate	Low	BCF=49

#### 12.4 Mobility in soil

Component	log Koc	Remark
N-hexane	$\geq 2.37 - \leq 3.16$	20 °C , pH=7.0
Dimethyl phthalate	1.569	
Diethyl phthalate	2.34	20 °C
Diisobutyl phthalate	3.06	20 °C
Dibutyl phthalate	3.14	
Bis(2-methoxyethyl) phthalate	1.000	
Dipentyl phthalate	3.696	
Dihexyl phthalate	4.228	
Benzyl butyl phthalate	3.971	
Bis(2-butoxyethyl) phthalate	2.231	
Dicyclohexyl phthalate	3.46	20 °C
Bis(2-ethylhexyl) phthalate	5.219	
Diocetyl phthalate	5.291	
Dinonyl phthalate	5.823	
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	0.78	20 °C

Diallyl phthalate	2.63	20 °C
Tributyl phosphate	3.237	Kow method

## 12.5 Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
N-hexane	Not PBT/vPvB
Dimethyl phthalate	Not PBT/vPvB
Diethyl phthalate	Not PBT/vPvB
Diisobutyl phthalate	the substance is handled as if it were a PBT/vPvB
Dibutyl phthalate	Not PBT/vPvB
Bis(2-methoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	Insufficient information, temporarily unable to evaluate
Bis(2-ethoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
Dipentyl phthalate	Insufficient information, temporarily unable to evaluate
Dihexyl phthalate	Insufficient information, temporarily unable to evaluate
Benzyl butyl phthalate	Not PBT/vPvB
Bis(2-butoxyethyl) phthalate	Insufficient information, temporarily unable to evaluate
Dicyclohexyl phthalate	Not PBT/vPvB
Bis(2-ethylhexyl) phthalate	Not PBT/vPvB
Diphenyl phthalate	Insufficient information, temporarily unable to evaluate
Diocetyl phthalate	Insufficient information, temporarily unable to evaluate
Dinonyl phthalate	Insufficient information, temporarily unable to evaluate
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Not PBT/vPvB
Diallyl phthalate	Insufficient information, temporarily unable to evaluate
Tributyl phosphate	Not PBT/vPvB

## 12.6 Endocrine disrupting properties

Component	Endocrine disrupting properties
N-hexane	No information available
Dimethyl phthalate	No information available
Diethyl phthalate	No information available
Diisobutyl phthalate	No information available
Dibutyl phthalate	No information available
Bis(2-methoxyethyl) phthalate	No information available

4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	No information available
Bis(2-ethoxyethyl) phthalate	No information available
Dipentyl phthalate	No information available
Diethyl phthalate	No information available
Benzyl butyl phthalate	No information available
Bis(2-butoxyethyl) phthalate	No information available
Dicyclohexyl phthalate	The substance is a ED, however, potential concerns for the environment have not been fully evaluated.
Bis(2-ethylhexyl) phthalate	No information available
Diphenyl phthalate	No information available
Diethyl phthalate	No information available
Dinonyl phthalate	No information available
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	No information available
Diallyl phthalate	No information available
Tributyl phosphate	No information available

### 12.7 Other adverse effects

	No information available
--	--------------------------


## 13 Disposal considerations

### 13.1 Waste treatment methods

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

## 14 Transport information

### Label and Mark

Transporting Label	
--------------------	---

### IMDG-CODE

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards	No

(Yes or no)	
-------------	--

### IATA-DGR

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

### UN-ADR

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

### Special precautions for user

	<p>Shipment of the goods vehicle exhaust pipe must be equipped with fire retardant devices, prohibit using mechanical equipment and tools of which easy to produce sparks. Transit should be anti-exposure, anti-rain, anti-high temperature.</p> <p>Transportation used tank (tank) cars should be grounded chain, tank can be installed to reduce the partition hole static electricity shocks. Strictly prohibited shipping or transportation with oxidants, acids, food and food additives etc. When bulk transport, Prohibit the use of cement or wooden boats. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.</p>
--	--

### Maritime transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code	Not Available
◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code	Not Available
◆ Transport in bulk in accordance with the IGC Code	Not Available

## 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International chemical inventory

Component	A	B	C	D	E	F	G	H	I	J	K	L	M
N-hexane	√	√	√	√	√	√	√	√	√	√	√	√	√
Dimethyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√

Diethyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Diisobutyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Dibutyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Bis(2-methoxyethyl) phthalate	√	√	√	√	×	×	×	√	√	×	×	√	√
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	×	√	√	×	×	×	×	×	×	×	×	×	×
Bis(2-ethoxyethyl) phthalate	×	√	√	×	×	×	×	×	×	×	×	√	√
Dipentyl phthalate	√	√	√	√	√	×	√	×	×	×	×	√	√
Dihexyl phthalate	√	√	√	√	√	×	√	√	√	×	×	√	√
Benzyl butyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Bis(2-butoxyethyl) phthalate	√	√	√	√	√	√	√	√	√	×	×	√	√
Dicyclohexyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Bis(2-ethylhexyl) phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Diphenyl phthalate	×	√	√	×	×	×	√	√	√	×	×	√	√
Diocetyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Dinonyl phthalate	√	√	√	√	√	×	√	√	√	×	×	√	√
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	√	√	√	√	√	√	√	√	√	√	×	√	√
Diallyl phthalate	√	√	√	√	√	√	√	√	√	√	√	√	√
Tributyl phosphate	√	√	√	√	√	√	√	√	√	√	√	√	√

- 【A】 China Inventory of Existing Chemical Substances(IECSC)  
 【B】 European Inventory of Existing Commercial Chemical Substances(EC inventory)  
 【C】 United States Toxic Substances Control Act Inventory(TSCA)  
 【D】 Canadian Domestic Substances List(DSL)  
 【E】 New Zealand Inventory of Chemicals(NZIoC)  
 【F】 Philippines Inventory of Chemicals and Chemical Substances(PICCS)  
 【G】 Korea Existing Chemicals Inventory(KECL)  
 【H】 Australian. Inventory of Industrial Chemical (AIICS)  
 【I】 Japan Inventory of Existing & New Chemical Substances(ENCS)  
 【J】 Thailand Existing Chemicals Inventory(TECI)  
 【K】 Mexico National Inventory of Chemical Substances (INSQ)  
 【L】 Russia Inventory of Existing Substances(DRAFT)  
 【M】 Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

### List of Chemical Substances under International Conventions

Component	A	B	C
N-hexane	×	×	×
Dimethyl phthalate	×	×	×
Diethyl phthalate	×	×	×
Diisobutyl phthalate	×	×	×
Dibutyl phthalate	×	×	×
Bis(2-methoxyethyl) phthalate	×	×	×

4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	x	x	x
Bis(2-ethoxyethyl) phthalate	x	x	x
Dipentyl phthalate	x	x	x
Dihexyl phthalate	x	x	x
Benzyl butyl phthalate	x	x	x
Bis(2-butoxyethyl) phthalate	x	x	x
Dicyclohexyl phthalate	x	x	x
Bis(2-ethylhexyl) phthalate	x	x	x
Diphenyl phthalate	x	x	x
Diocetyl phthalate	x	x	x
Dinonyl phthalate	x	x	x
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	x	x	x
Diallyl phthalate	x	x	x
Tributyl phosphate	x	x	x

[A] The Montreal Protocol on Substances that Deplete the Ozone Layer

[B] Stockholm Convention on Persistent Organic Pollutants (POPs)

[C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

## European chemical inventory

Component	A	B	C	D	E	F	G	H	I
N-hexane	x	x	x	√	√	√	x	x	x
Dimethyl phthalate	x	x	x	√	√	x	x	x	x
Diethyl phthalate	x	x	x	√	√	√	x	x	x
Diisobutyl phthalate	√	√	√	√	√	x	x	x	x
Dibutyl phthalate	√	√	√	√	√	x	x	x	x
Bis(2-methoxyethyl) phthalate	√	√	√	√	x	x	x	x	x
4-(2-ethoxy-5-methyl-4-nitrophenyl)morpholine	x	x	x	√	x	x	x	x	x
Bis(2-ethoxyethyl) phthalate	x	x	x	√	x	x	x	x	x
Dipentyl phthalate	√	√	√	√	x	x	x	x	x
Dihexyl phthalate	√	√	√	√	x	x	x	x	x
Benzyl butyl phthalate	√	√	√	√	√	x	x	x	x
Bis(2-butoxyethyl) phthalate	x	x	x	√	x	x	x	x	x
Dicyclohexyl phthalate	√	x	√	√	√	√	x	x	x
Bis(2-ethylhexyl) phthalate	√	√	√	√	√	x	√	x	x

<b>Diphenyl phthalate</b>	x	x	x	√	x	x	x	x	x
<b>Diethyl phthalate</b>	x	x	√	√	x	x	x	x	x
<b>Dinonyl phthalate</b>	x	x	x	√	x	x	x	x	x
<b>1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</b>	x	x	√	√	√	x	x	x	x
<b>Diallyl phthalate</b>	x	x	x	√	√	√	x	x	x
<b>Tributyl phosphate</b>	x	x	x	√	√	√	x	x	x

[A] Candidate list of Substances of Very High Concern for authorization under EU REACH regulation

[B] Substances requiring authorisation under EU REACH regulation

[C] Substances restricted under EU REACH

[D] Pre-registered substances under EU REACH

[E] Registered substances under EU REACH

[F] Substance Evaluation – CoRAP under EU REACH

[G] List of priority substances under EU water policy ( Directive 2455/2001/EC )

[H] Substances subject to POPs Regulation

[I] Substances proposed as POPs

Note:

“√” Indicates that the substance included in the regulations.

“x” No data or not included in the regulations.

### German water hazard class(WGK)

Component	WGK	Remark
<b>N-hexane</b>	WGK 3	
<b>Dimethyl phthalate</b>	WGK 1	
<b>Diethyl phthalate</b>	WGK 2	
<b>Diisobutyl phthalate</b>	WGK 3	
<b>Dibutyl phthalate</b>	WGK 3	
<b>Bis(2-methoxyethyl) phthalate</b>	WGK 1	
<b>Dipentyl phthalate</b>	WGK 3	
<b>Benzyl butyl phthalate</b>	WGK 3	
<b>Dicyclohexyl phthalate</b>	WGK 1	
<b>Bis(2-ethylhexyl) phthalate</b>	WGK 1	
<b>Diethyl phthalate</b>	WGK 1	
<b>Dinonyl phthalate</b>	WGK 1	
<b>1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</b>	WGK 1	
<b>Diallyl phthalate</b>	WGK 3	
<b>Tributyl phosphate</b>	WGK 2	

【WGK 1】 slightly hazardous to water

【WGK 2】 obviously hazardous to water

【WGK 3】 highly hazardous to water

【nwg】 non-hazardous to water

【awg】 hazardous to water in general

### German technical instructions on air quality control(TA LUFT)

Component	TA LUFT	Remark
<b>N-hexane</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>Dimethyl phthalate</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>Diethyl phthalate</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>Diisobutyl phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Dibutyl phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Bis(2-methoxyethyl) phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Dipentyl phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Dihexyl phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Benzyl butyl phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Dicyclohexyl phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Bis(2-ethylhexyl) phthalate</b>	Chapter 5.2.7.1.3 Substances toxic to reproductionMass flow: 2,5 g/hr or Mass conc.: 1 mg/m <sup>3</sup>	
<b>Diocetyl phthalate</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not	

	allowed to exceed 1,5 kg/h.	
<b>Dinonyl phthalate</b>	Chapter 5.2.5 Organic Substances. The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas: Mass flow: 0,50 kg/hr or Mass conc.: 50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>Diallyl phthalate</b>	Chapter 5.2.5 Organic Substances. The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas: Mass flow: 0,50 kg/hr or Mass conc.: 50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>Tributyl phosphate</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m <sup>3</sup>	

### German technical rules for hazardous substances (TRGS)

Component	TRGS	Remark
<b>N-hexane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Dimethyl phthalate</b>	TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Diethyl phthalate</b>	TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Diisobutyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Dibutyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 402 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Bis(2-methoxyethyl) phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Dipentyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Dihexyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	

<b>Benzyl butyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Dicyclohexyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724 TRGS 560	
<b>Bis(2-ethylhexyl) phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Diocetyl phthalate</b>	TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Dinonyl phthalate</b>	TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Diallyl phthalate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Tributyl phosphate</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	

## 15.2 Chemical safety assessment

	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
--	--

## 16 Other information

### Information on revision

<b>Creation Date</b>	2025/12/26
<b>Revision Date</b>	-
<b>Reason for revision</b>	-

### Reference

- [1] IPCS: The International Chemical SafetyCards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
- [2] IARC, website: <http://www.iarc.fr/>.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.echemportal.org/echemportal/>.
- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
- [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
- [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
- [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
- [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

### Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC <sub>50</sub>	Lethal Concentration 50%	NFPA	National Fire Protection Association

---

LD <sub>50</sub>	Lethal Dose 50%	NTP	National Toxicology Program
EC <sub>50</sub>	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC <sub>x</sub>	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P <sub>ow</sub>	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

## **Disclaimer**

This Safety Data Sheet (SDS) was prepared according to REACH Regulation. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.