

Safety Data Sheet

12 Mix phenolics in methanol

Version : V2.0.0.1

Report No. : BWQ8378-2016-MSDS-EP

Creation Date : 2026/01/13

Revision Date : -



*Prepared in accordance with EU REACH Regulation (REACH 1907/2006 with amendment 2020/878)

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name	12 Mix phenolics in methanol
Cat No.	BWQ8378-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	-
UFI	No information available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

1.3 Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

1.4 Emergency telephone number

Emergency telephone number	010-58103678
Opening hours	24h

2 Hazards identification

2.1 CLP classification according to Regulation (EC) No. 1272/2008 with amendment 2023/707

Flammable liquids	Category 2
Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 3
Acute Toxicity - Inhalation	Category 3
Specific target organ toxicity - single exposure	Category 1

2.2 Label elements

Hazard pictograms	
Signal word	Danger

Hazard statements

H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H370	Causes damage to organs(nervous system)
EUH208	Contains sensitising substance. May produce an allergic reaction

Precautionary statements

◆ Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

◆ Response

P311	Call a POISON CENTER/ doctor.
P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/ doctor.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	Small fire: dry chemical, CO ₂ or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

◆ Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

◆ Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
-------------	---

2.3 Other hazards

◆ Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
2,4-dinitrophenol	Not PBT/vPvB
Picric acid	Insufficient information, temporarily unable to evaluate
Resorcinol	Not PBT/vPvB
Phenol	Not PBT/vPvB
m-cresol	Not PBT/vPvB
p-cresol	Not PBT/vPvB
o-cresol	Insufficient information, temporarily unable to evaluate
4-chlorophenol	Insufficient information, temporarily unable to evaluate
2,6-xylenol	Not PBT/vPvB
2-naphthol	Insufficient information, temporarily unable to evaluate
1-naphthol	Not PBT/vPvB
2,4-dichlorophenol	Insufficient information, temporarily unable to evaluate
Methanol	Not PBT/vPvB

◆ Results of endocrine disrupting properties assessment

Component	Results of endocrine disrupting properties assessment [according to (EU) No 2017/2100 or (EU) No 2018/605]
2,4-dinitrophenol	Insufficient information, temporarily unable to evaluate
Picric acid	Insufficient information, temporarily unable to evaluate
Resorcinol	Insufficient information, temporarily unable to evaluate
Phenol	Insufficient information, temporarily unable to evaluate
m-cresol	Insufficient information, temporarily unable to evaluate
p-cresol	not ED
o-cresol	Insufficient information, temporarily unable to evaluate
4-chlorophenol	Insufficient information, temporarily unable to evaluate
2,6-xylenol	Insufficient information, temporarily unable to evaluate
2-naphthol	Insufficient information, temporarily unable to evaluate
1-naphthol	Insufficient information, temporarily unable to evaluate
2,4-dichlorophenol	Insufficient information, temporarily unable to evaluate

Methanol	Insufficient information, temporarily unable to evaluate
-----------------	--

◆ Other

Not applicable.

3 Composition/information on ingredients

3.1 Substance

Not applicable

3.2 Mixture

Component	Weight % content(or range)	Classification according to Regulation (EC) No. 1272/2008 with amendment 2023/707 [CLP]	Specific Conc. Limits, M-factors
2,4-dinitrophenol CAS : 51-28-5 EC : 200-087-7 Index No. : 609-041-00-4	0.1	Acute Toxicity - Oral, Category 2, H300; Acute Toxicity - Dermal, Category 3, H311; Acute Toxicity - Inhalation, Category 3, H331; Specific target organ toxicity - repeated exposure, Category 1, H372; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	H3002:ATE=30 mg/kg bw H331:ATE=300 mg/kg bw
Picric acid CAS : 88-89-1 EC : 201-865-9 Index No. : 609-009-00-X	0.1	Explosives, Division 1.1, H201; Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Acute Toxicity - Inhalation, Category 3, H331	-
Resorcinol CAS : 108-46-3 EC : 203-585-2 Index No. : 604-010-00-1	0.1	Acute Toxicity - Oral, Category 4, H302; Skin Corrosion/Irritation, Category 2, H315; Sensitization - skin, Category 1, H317; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure, Category 1, H370; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	M=1;H302:ATE = 500 mg/kg bw
Phenol CAS : 108-95-2 EC : 203-632-7 Index No. : 604-001-00-2	0.1	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Skin corrosion/irritation, Category 1B, H314; Acute Toxicity - Inhalation, Category 3, H331; Germ cell mutagenicity, Category 2, H341; Specific target organ toxicity - repeated exposure, Category 2, H373	H314B:C ≥ 3% H315:1% ≤ C < 3% H319:1% ≤ C < 3%
m-cresol CAS : 108-39-4 EC : 203-577-9 Index No. : 604-004-00-9	0.1	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Skin corrosion/irritation, Category 1B, H314	-
p-cresol CAS : 106-44-5 EC : 203-398-6 Index No. : 604-004-00-9	0.1	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Skin corrosion/irritation, Category 1B, H314	-
o-cresol CAS : 95-48-7 EC : 202-423-8 Index No. : 604-004-00-9	0.1	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Skin corrosion/irritation, Category 1B, H314	-
4-chlorophenol CAS : 106-48-9 EC : 203-402-6 Index No. : 604-008-00-0	0.1	Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Dermal, Category 4, H312; Acute Toxicity - Inhalation, Category 4, H332; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-

2,6-xyleneol CAS : 576-26-1 EC : 209-400-1 Index No. : 604-006-00-X	0.1	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Skin corrosion/irritation, Category 1B, H314; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
2-naphthol CAS : 135-19-3 EC : 205-182-7 Index No. : 604-007-00-5	0.1	Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Inhalation, Category 4, H332; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	-
1-naphthol CAS : 90-15-3 EC : 201-969-4 Index No. : 604-029-00-5	0.1	Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Dermal, Category 4, H312; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 1, H318; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335	-
2,4-dichlorophenol CAS : 120-83-2 EC : 204-429-6 Index No. : 604-011-00-7	0.1	Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Dermal, Category 3, H311; Skin corrosion/irritation, Category 1B, H314; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
Methanol CAS : 67-56-1 EC : 200-659-6 Index No. : 603-001-00-X	98.8	Flammable liquids, Category 2, H225; Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Acute Toxicity - Inhalation, Category 3, H331; Specific target organ toxicity - single exposure, Category 1, H370	H370:C ≥ 10% H371:3% ≤ C < 10%

4 First-aid measures

4.1 Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.
Ingestion	Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.
Inhalation	Fresh air, rest. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

4.2 Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
---	--

4.3 Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Small fire: dry chemical, CO ₂ or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable extinguishing media	Use of water spray when fighting fire may be inefficient.

5.2 Specific hazards arising from the substance or mixture

1	Will form explosive mixtures with air.
2	Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/or vapour concentration.
3	Vapours may travel to source of ignition and flash back.
4	Liquid and vapour are flammable.
5	Development of hazardous combustion gases or vapor possible in the event of fire.
6	May expansion or decompose explosively when heated or involved in fire.

5.3 Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

1	Avoid breathing vapours and contacting with skin and eye.
2	Beware of vapours accumulating to form explosive concentrations.
3	Vapours can accumulate in low areas.
4	Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
5	Use personal protective equipment, do not breathe gas/mist/vapour/spray.
6	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
7	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

1	It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
2	In case of small amount of spillage, use clean non sparking tools to collect absorption materials.
3	In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space.
4	Collect absorbent material using a clean, non-sparking tool.
5	Cover with anti-solvent foam to reduce evaporation.
6	Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.

7	Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.
8	Cut off the source of the leak as much as possible.
9	Keep leaks in a ventilated place.
10	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
11	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
12	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.
13	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

1	Personal Protective Equipment advice is contained in Section 8 of the SDS.
2	Disposal considerations advice is contained in Section 13 of the SDS.

7 Handling and storage

7.1 Precautions for safe handling

◆ Protective measures

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.

◆ Measures to prevent fire

1	Use only non-sparking tools.
2	To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
3	Use explosion proof equipment.
4	Keep away from heat/sparks/open flames/ hot surfaces.

◆ Measures to prevent aerosol and dust generation

1	Not applicable.
---	-----------------

◆ Advice on general occupational hygiene

1	Wash hands and face after using the substances.
2	Replace the contaminated clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

7.3 Specific end use(s)

1	In addition to use mentioned in the Section 1.2, unforeseen other specific end uses.
---	--

8 Exposure controls/personal protection

8.1 Control parameters

◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours	Limit value - Short term
-----------	----------------	---------------------------	--------------------------

		ppm	mg/m ³	ppm	mg/m ³
2,4-dinitrophenol	Latvia	-	0.5	-	-
	Romania	-	0.7	-	1
Picric acid	Permissible exposure standards for workers in the workplace	-	0.1	-	0.3
	France	-	0.1	-	-
	Germany (AGS)	-	0.1(inhalable aerosol)	-	0.1(inhalable aerosol)
	Italy	-	0.1	-	-
	United Kingdom	-	0.1	-	0.3
	Austria	-	0.1(inhalable aerosol)	-	0.2(inhalable aerosol)
Resorcinol	Permissible exposure standards for workers in the workplace	10	45	15	67.5
	European Union	10	45	-	-
	France	10	45	-	-
	Germany (AGS)	4	20	4	20
	Italy	10	45	-	-
	United Kingdom	10	46	20	92
Phenol	Japan - JSOH(2024-2025)	5	19	-	-
	Permissible exposure standards for workers in the workplace	5	19	10	28.5
	European Union	2	8	4	16
	France	2	7.8	4	15.6
	Germany (AGS)	2	8	4	16
	Italy	2	8	4	16
m-cresol	Permissible exposure standards for workers in the workplace	5	22	10	33
	France	5	22	-	-
	Germany (AGS)	1	4.5	1	4.5
	Germany (DFG)	1	4.5	1	4.5
	United Kingdom	5	22	-	-
	Austria	5	22	10	44
p-cresol	Permissible exposure	5	22	10	33

	standards for workers in the workplace				
	Germany (AGS)	1	4.5	1	4.5
	Germany (DFG)	1	4.5	1	4.5
	United Kingdom	5	22	-	-
	Austria	5	22	10	44
	Belgium	2.3	10	-	-
o-cresol	Permissible exposure standards for workers in the workplace	5	22	10	33
	France	5	22	-	-
	Germany (AGS)	1	4.5	1	4.5
	Germany (DFG)	1	4.5	1	4.5
	United Kingdom	5	22	-	-
	Austria	5	22	10	44
4-chlorophenol	Denmark	-	0.5	-	1
	Latvia	-	1	-	-
	Poland	-	0.5	-	1.5
2,6-xylenol	Latvia	-	2	-	-
	Romania	-	15	-	20
	USA - ACGIH	1(inhalable fraction and vapor)	-	-	-
2-naphthol	Latvia	-	0.1	-	-
1-naphthol	Latvia	-	0.5	-	-
	Romania	-	10	-	15
Methanol	Japan - JSOH(2024-2025)	200	260	-	-
	Permissible exposure standards for workers in the workplace	200	262	250	327.5
	European Union	200	260	-	-
	France	200	260	-	-
	Germany (AGS)	100	130	200	260
	Germany (DFG)	100	130	200	260

◆ Biological limit values

Component	Standard	Biological monitoring index	Biological limits value	Sampling time	Remark
-----------	----------	-----------------------------	-------------------------	---------------	--------

2,4-dinitrophenol	USA -ACGIH	Methemoglobin(Hemoglobin in blood)	5%	During or end of shift	
Phenol	SCOEL(EU)	phenol/urine	120mg/g creatinine	Not strictly regulated	
		Phenol with hydrolysis(Creatinine in urine)	250mg/g	End of shift	
Methanol	USA -ACGIH	Methanol(Urine)	15mg/L	End of shift	

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300 and GBZ/T 160 series standard Determination of toxic substances in workplace air.

◆ Derived No effect level (DNEL)

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
2,4-dinitrophenol	Inhalation	No data available	No data available	No data available	0.117 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Picric acid	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Resorcinol	Inhalation	No data available	No data available	132.8 mg/m ³	5.6 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Phenol	Inhalation	No data available	No data available	No data available	8 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
m-cresol	Inhalation	No data available	No data available	No data available	2.47 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
p-cresol	Inhalation	No data available	No data available	No data available	2.47 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
o-cresol	Inhalation	No data available	No data available	No data available	2.47 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
4-chlorophenol	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
2,6-xyleneol	Inhalation	No data available	No data available	2 mg/m ³	2 mg/m ³

	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
2-naphthol	Inhalation	No data available	No data available	No data available	1.76 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
1-naphthol	Inhalation	No data available	No data available	No data available	4.58 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
2,4-dichloropheno I	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
Methanol	Inhalation	No data available	No data available	130 mg/m ³	130 mg/m ³
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

◆ Predicted No Effect Concentration (PNEC)

Component	A	B	C	D	E	F	G	H
2,4-dinitrophenol	4 µg/L	940 ng/L	400 µg/L	4.2 µg/kg sediment dw	990 ng/kg sediment dw	No hazard identified	200 ng/kg soil dw	No potential for bioaccum ulation
Resorcinol	17.2 µg/L	1.72 µg/L	790 µg/L	79.7 µg/kg sediment dw	7.97 µg/kg sediment dw	No hazard identified	10 mg/kg soil dw	No potential for bioaccum ulation
Phenol	7.7 µg/L	770 ng/L	2.1 mg/L	91.5 µg/kg sediment dw	9.15 µg/kg sediment dw	No hazard identified	136 µg/kg soil dw	No potential for bioaccum ulation
m-cresol	100 µg/L	10 µg/L	1.14 mg/L	710 µg/kg sediment dw	71 µg/kg sediment dw	No hazard identified	83.1 µg/kg soil dw	No potential for bioaccum ulation
p-cresol	100 µg/L	10 µg/L	1.65 mg/L	850 µg/kg sediment dw	85 µg/kg sediment dw	No hazard identified	111 µg/kg soil dw	No potential for bioaccum ulation
o-cresol	100 µg/L	10 µg/L	1.28 mg/L	580 µg/kg sediment dw	58 µg/kg sediment dw	No hazard identified	57.2 µg/kg soil dw	No potential for bioaccum ulation
2,6-xyleneol	10.8 µg/L	1.08 µg/L	No data available	216 µg/kg sediment dw	21.6 µg/kg sediment dw	No data available	37.1 µg/kg soil dw	No potential for bioaccum ulation

2-naphthol	850 ng/L	85 ng/L	No hazard identified	14.7 µg/kg sediment dw	1.47 µg/kg sediment dw	No hazard identified	1.54 µg/kg soil dw	No potential for bioaccumulation
1-naphthol	330 ng/L	33 ng/L	1.2 mg/L	16.6 µg/kg sediment dw	1.66 µg/kg sediment dw	No hazard identified	3.11 µg/kg soil dw	No potential for bioaccumulation
Methanol	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No potential for bioaccumulation

Note 1:

A: Freshwater; B: Seawater; C: Sewage treatment plant; D: Sediment (freshwater); E: Sediment (seawater); F: Air; G: Soil; H: Secondary poisoning(Hazard for Predators).

Note 2:

The PNEC values of the remaining components not shown in the product are not available yet.

8.2 Exposure controls

8.2.1 Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

8.2.2 Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear anti static chemical protective gloves.
Respiratory protection	Must wear appropriate personal dust proof gas mask.
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.

8.2.3 Environmental exposure controls

Environmental exposure controls	No information available
--	--------------------------

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	colorless to pale yellow transparent liquid
Colour	colorless to pale yellow transparent liquid
Odor	No information available
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	-98 (Methanol)

Initial boiling point and boiling range(°C)	65 (Methanol)
Flash point(Closed cup, °C)	9 (Methanol)
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit : 50 (Methanol) ; Lower limit : 6 (Methanol)
Vapor pressure	12.9 kPa (20°C,Methanol)
Vapor density(Air = 1)	1.1 (Methanol)
Relative density(Water=1)	0.79 (20°C,Methanol)
Solubility	Miscible with water (Methanol)
n-octanol/water partition coefficient	-0.74 (Methanol)
Auto-ignition temperature(°C)	440 (Methanol)
Decomposition temperature(°C)	No information available
Kinematic viscosity	0.544 mPa (25°C,Methanol)
Explosive properties	No information available
Oxidizing properties	No information available
Particle characteristics	Not applicable

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Information with regard to physical hazard classes	No information available
--	--------------------------

9.2.2 Other safety characteristics

Other safety characteristics	No information available
------------------------------	--------------------------

10 Stability and reactivity

Stability and reactivity

10.1 Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
10.2 Chemical stability	Stable under proper operation and storage conditions.
10.3 Possibility of hazardous reactions	In contact with ammonia, strong inorganic alkalis, active metals, alkali carbonates, metal oxides or metal alkoxides may result in an explosion. In contact with mixtures of aluminium trichloride and nitro-compounds causes a severe explosion. In contact with oxidants causes severe reactions, and may cause a fire or explosion.
10.4 Conditions to avoid	Incompatible materials, heat, flame and spark.
10.5 Incompatible materials	Ammonia, strong inorganic alkalis, active metal, alkali metal carbonates, metal oxides, metal alkoxides, and nitric acid. Aluminium trichloride, strong oxidants, nitrate, nitrite and oxygen-halogen salts. Oxidants, alkali metals, alkaline earth metals and aluminum.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 with amendment

2023/707

12 Mix phenolics in methanol	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Causes damage to organs(nervous system)(Category 1)
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

| Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Picric acid	200mg/kg(Rat)	No information available	No information available
o-cresol	121mg/kg(Rat)	890mg/kg(Rabbit)	No information available
2,4-dichlorophenol	47mg/kg(Rat)	No information available	No information available
1-naphthol	1870mg/kg(Rat)	880mg/kg(Rabbit)	No information available
2-naphthol	1960mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available
p-cresol	207mg/kg(Rat)	301mg/kg(Rabbit)	No information available
Methanol	5628mg/kg(Rat)	15800mg/kg(Rabbit)	83.867mg/L(Rat)
4-chlorophenol	670mg/kg(Rat)	1500mg/kg(Rat)	No information available
2,4-dinitrophenol	30mg/kg(Rat)	No information available	No information available
Phenol	317mg/kg(Rat)	630mg/kg(Rabbit)	No information available
m-cresol	242mg/kg(Rat)	2050mg/kg(Rabbit)	No information available
Resorcinol	301mg/kg(Rat)	3360mg/kg(Rabbit)	No information available
2,6-xyleneol	296mg/kg(Rat)	1000mg/kg(Rabbit)	No information available

| Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
2,4-dinitrophenol	Not Listed	Not Listed
Picric acid	Not Listed	Not Listed
Resorcinol	Category 3	Not Listed
Phenol	Category 3	Not Listed
m-cresol	Not Listed	Not Listed
p-cresol	Not Listed	Not Listed
o-cresol	Not Listed	Not Listed
4-chlorophenol	Not Listed	Not Listed
2,6-xyleneol	Not Listed	Not Listed

2-naphthol	Not Listed	Not Listed
1-naphthol	Not Listed	Not Listed
2,4-dichlorophenol	Not Listed	Not Listed
Methanol	Not Listed	Not Listed

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Component	Endocrine disrupting properties
2,4-dinitrophenol	No information available
Picric acid	No information available
Resorcinol	No information available
Phenol	No information available
m-cresol	No information available
p-cresol	Existing research data indicates that this substance is not a reproductive or developmental toxicant, nor does it possess potential endocrine-disrupting properties; therefore, it is not considered a human endocrine disruptor.
o-cresol	No information available
4-chlorophenol	No information available
2,6-xylenol	No information available
2-naphthol	No information available
1-naphthol	No information available
2,4-dichlorophenol	No information available
Methanol	No information available

11.2.2 Other Information

Other Information	See Section 11.1
-------------------	------------------

12 Ecological information

12.1 Toxicity

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
Picric acid	LC ₅₀ : 130mg/L (96h)(Fish)	EC ₅₀ : 90mg/L (48h)(Crustaceans)	ErC ₅₀ : 51.8mg/L (96h)(Algae)
o-cresol	LC ₅₀ : 6.2mg/L (96h)(Fish)	EC ₅₀ : 15.8mg/L (48h)(Crustaceans)	ErC ₅₀ : 100mg/L (96h)(Algae)
2,4-dichlorophenol	LC ₅₀ : 3.4mg/L (96h)(Fish)	EC ₅₀ : 2.2mg/L (48h)(Crustaceans)	ErC ₅₀ : 4.8mg/L (72h)(Algae)
1-naphthol	LC ₅₀ : 3mg/L (96h)(Fish)	EC ₅₀ : 2.51mg/L (48h)(Crustaceans)	ErC ₅₀ : > 2.18mg/L (72h)(Algae)
2-naphthol	LC ₅₀ : 3.46mg/L (96h)(Fish)	EC ₅₀ : 0.85mg/L (48h)(Crustaceans)	ErC ₅₀ : 2.1mg/L (72h)(Algae)

p-cresol	LC ₅₀ : 14mg/L (96h)(Fish)	EC ₅₀ : 7.0mg/L (48h)(Crustaceans)	ErC ₅₀ : 52mg/L (72h)(Algae)
Methanol	LC ₅₀ : 24000mg/L (96h)(Fish)	EC ₅₀ : 24500mg/L (48h)(Crustaceans)	No information available
4-chlorophenol	LC ₅₀ : 8.9mg/L (96h)(Fish)	EC ₅₀ : 2.5mg/L (48h)(Crustaceans)	ErC ₅₀ : 10mg/L (72h)(Algae)
2,4-dinitrophenol	LC ₅₀ : 0.39mg/L (96h)(Fish)	EC ₅₀ : 4.39mg/L (48h)(Crustaceans)	ErC ₅₀ : 10mg/L (96h)(Algae)
Phenol	LC ₅₀ : 20.5mg/L (96h)(Fish)	EC ₅₀ : 15mg/L (48h)(Crustaceans)	ErC ₅₀ : 84.5mg/L (96h)(Algae)
m-cresol	LC ₅₀ : 7.6mg/L (96h)(Fish)	No information available	No information available
Resorcinol	LC ₅₀ : 26.8mg/L (96h)(Fish)	No information available	No information available
2,6-xylenol	LC ₅₀ : 15mg/L (96h)(Fish)	EC ₅₀ : 11mg/L (48h)(Crustaceans)	ErC ₅₀ : 45mg/L (72h)(Algae)

Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
4-chlorophenol	No information available	NOEC : 0.19mg/L(Crustaceans)	NOEC : 1.7mg/L(Algae)
2,4-dichlorophenol	No information available	NOEC : 0.052mg/L(Crustaceans)	NOEC : 0.67mg/L(Algae)
Phenol	No information available	NOEC : 1.2mg/L(Crustaceans)	NOEC : 25mg/L(Algae)
2-naphthol	NOEC : 0.001mg/L(Fish)	NOEC : 0.69mg/L(Crustaceans)	NOEC : 0.58mg/L(Algae)
p-cresol	No information available	NOEC : 0.52mg/L(Crustaceans)	NOEC : 9.5mg/L(Algae)
2,6-xylenol	No information available	NOEC : 0.54mg/L(Crustaceans)	NOEC : 2.0mg/L(Algae)

12.2 Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Resorcinol	Low	Low
m-cresol	Low(Half-life = 49 days)	Low(Half-life = 0.47 days)
p-cresol	Low(Half-life = 28 days)	Low(Half-life = 0.63 days)
o-cresol	Low(Half-life = 14 days)	Low(Half-life = 0.67 days)
4-chlorophenol	High	High
2,6-xylenol	Low	Low
2-naphthol	High	High
1-naphthol	High	High
2,4-dichlorophenol	Media(Half-life = 70 days)	Low(Half-life = 8.83 days)
Methanol	Low	Low

12.3 Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Resorcinol	Low	BCF=2.4
m-cresol	Low	Log Kow=1.96
p-cresol	Low	Log Kow=1.94
o-cresol	Low	Log Kow=1.95
4-chlorophenol	Low	BCF=52
2,6-xylenol	Low	BCF=37
2-naphthol	Low	Log Kow=2.7
1-naphthol	Low	Log Kow=2.85
2,4-dichlorophenol	Low	BCF=69
Methanol	Low	BCF=10

12.4 Mobility in soil

Component	log Koc	Remark
2,4-dinitrophenol	1.22	20 °C
Resorcinol	1.02	20 °C
Phenol	1.92	20 °C
m-cresol	1.544	
p-cresol	1.69	20 °C
o-cresol	1.342	20 °C
4-chlorophenol	2.637	
2,6-xylenol	2.865	
2-naphthol	-0.347	
1-naphthol	3.483	
2,4-dichlorophenol	2.856	
Methanol	0.000	

12.5 Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
2,4-dinitrophenol	Not PBT/vPvB
Picric acid	Insufficient information, temporarily unable to evaluate
Resorcinol	Not PBT/vPvB
Phenol	Not PBT/vPvB
m-cresol	Not PBT/vPvB
p-cresol	Not PBT/vPvB
o-cresol	Insufficient information, temporarily unable to evaluate
4-chlorophenol	Insufficient information, temporarily unable to evaluate
2,6-xylenol	Not PBT/vPvB

2-naphthol	Insufficient information, temporarily unable to evaluate
1-naphthol	Not PBT/vPvB
2,4-dichlorophenol	Insufficient information, temporarily unable to evaluate
Methanol	Not PBT/vPvB

12.6 Endocrine disrupting properties

Component	Endocrine disrupting properties
2,4-dinitrophenol	No information available
Picric acid	No information available
Resorcinol	No information available
Phenol	No information available
m-cresol	No information available
p-cresol	Existing research data indicates that this substance is not a reproductive or developmental toxicant, nor does it possess potential endocrine-disrupting properties; therefore, it is not considered an environmental endocrine disruptor.
o-cresol	No information available
4-chlorophenol	No information available
2,6-xyleneol	No information available
2-naphthol	No information available
1-naphthol	No information available
2,4-dichlorophenol	No information available
Methanol	No information available

12.7 Other adverse effects

	No information available
--	--------------------------

13 Disposal considerations

13.1 Waste treatment methods

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label	
---------------------------	---

IMDG-CODE

14.1 UN number	1993
-----------------------	------

14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

IATA-DGR

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

UN-ADR

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

Special precautions for user

	<p>Shipment of the goods vehicle exhaust pipe must be equipped with fire retardant devices, prohibit using mechanical equipment and tools of which easy to produce sparks. Transit should be anti-exposure, anti-rain, anti-high temperature.</p> <p>Transportation used tank (tank) cars should be grounded chain, tank can be installed to reduce the partition hole static electricity shocks. Strictly prohibited shipping or transportation with oxidants, acids, food and food additives etc. When bulk transport, Prohibit the use of cement or wooden boats. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.</p>
--	--

Maritime transport in bulk according to IMO instruments

◆ Transport in bulk according to Annex II of MARPOL and the IBC code	Not Available
◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code	Not Available
◆ Transport in bulk in accordance with the IGC Code	Not Available

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International chemical inventory

Component	A	B	C	D	E	F	G	H	I	J	K	L	M
2,4-dinitrophenol	√	√	√	√	√	√	√	√	√	×	√	√	√
Picric acid	√	√	√	√	√	√	√	√	√	√	√	√	√
Resorcinol	√	√	√	√	√	√	√	√	√	√	√	√	√
Phenol	√	√	√	√	√	√	√	√	√	√	√	√	√
m-cresol	√	√	√	√	√	√	√	√	√	√	√	√	√
p-cresol	√	√	√	√	√	√	√	√	√	√	√	√	√
o-cresol	√	√	√	√	√	√	√	√	√	√	√	√	√
4-chlorophenol	√	√	√	√	√	√	√	√	√	×	√	√	√
2,6-xylenol	√	√	√	√	√	√	√	√	√	×	×	√	√
2-naphthol	√	√	√	√	√	√	√	√	√	√	√	√	√
1-naphthol	√	√	√	√	√	√	√	√	√	×	√	√	√
2,4-dichlorophenol	√	√	√	√	√	√	√	√	√	×	√	√	√
Methanol	√	√	√	√	√	√	√	√	√	√	√	√	√

- [A] China Inventory of Existing Chemical Substances(IECSC)
 [B] European Inventory of Existing Commercial Chemical Substances(EC inventory)
 [C] United States Toxic Substances Control Act Inventory(TSCA)
 [D] Canadian Domestic Substances List(DSL)
 [E] New Zealand Inventory of Chemicals(NZIoC)
 [F] Philippines Inventory of Chemicals and Chemical Substances(PICCS)
 [G] Korea Existing Chemicals Inventory(KECL)
 [H] Australian. Inventory of Industrial Chemical (AIICS)
 [I] Japan Inventory of Existing & New Chemical Substances(ENCS)
 [J] Thailand Existing Chemicals Inventory(TECI)
 [K] Mexico National Inventory of Chemical Substances (INSQ)
 [L] Russia Inventory of Existing Substances(DRAFT)
 [M] Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	A	B	C
2,4-dinitrophenol	×	×	×
Picric acid	×	×	×
Resorcinol	×	×	×
Phenol	×	×	×
m-cresol	×	×	×
p-cresol	×	×	×
o-cresol	×	×	×
4-chlorophenol	×	×	×
2,6-xylenol	×	×	×
2-naphthol	×	×	×
1-naphthol	×	×	×
2,4-dichlorophenol	×	×	×

Methanol	x	x	x
-----------------	---	---	---

- 【A】 The Montreal Protocol on Substances that Deplete the Ozone Layer
 【B】 Stockholm Convention on Persistent Organic Pollutants (POPs)
 【C】 Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

European chemical inventory

Component	A	B	C	D	E	F	G	H	I
2,4-dinitrophenol	x	x	x	√	√	x	x	x	x
Picric acid	x	x	x	√	√	x	x	x	x
Resorcinol	x	x	x	√	√	√	x	x	x
Phenol	x	x	x	√	√	√	x	x	x
m-cresol	x	x	x	√	√	x	x	x	x
p-cresol	x	x	x	√	√	√	x	x	x
o-cresol	x	x	x	√	√	x	x	x	x
4-chlorophenol	x	x	x	√	√	x	x	x	x
2,6-xyleneol	x	x	x	√	√	x	x	x	x
2-naphthol	x	x	x	√	√	x	x	x	x
1-naphthol	x	x	x	√	√	x	x	x	x
2,4-dichlorophenol	x	x	x	√	√	x	x	x	x
Methanol	x	x	√	√	√	√	x	x	x

- 【A】 Candidate list of Substances of Very High Concern for authorization under EU REACH regulation
 【B】 Substances requiring authorisation under EU REACH regulation
 【C】 Substances restricted under EU REACH
 【D】 Pre-registered substances under EU REACH
 【E】 Registered substances under EU REACH
 【F】 Substance Evaluation – CoRAP under EU REACH
 【G】 List of priority substances under EU water policy (Directive 2455/2001/EC)
 【H】 Substances subject to POPs Regulation
 【I】 Substances proposed as POPs

Note:

“√” Indicates that the substance included in the regulations.

“x” No data or not included in the regulations.

German water hazard class(WGK)

Component	WGK	Remark
Picric acid	WGK 2	
Resorcinol	WGK 2	
Phenol	WGK 2	
m-cresol	WGK 2	
p-cresol	WGK 2	
o-cresol	WGK 2	
4-chlorophenol	WGK 2	
2,6-xyleneol	WGK 3	

2-naphthol	WGK 2	
1-naphthol	WGK 1	
2,4-dichlorophenol	WGK 3	
Methanol	WGK 2	

- 【WGK 1】 slightly hazardous to water
 【WGK 2】 obviously hazardous to water
 【WGK 3】 highly hazardous to water
 【nwg】 non-hazardous to water
 【awg】 hazardous to water in general

German technical instructions on air quality control(TA LUFT)

Component	TA LUFT	Remark
2,4-dinitrophenol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
Picric acid	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0.10 kg/hr or Mass conc.: 20 mg/m ³	
Resorcinol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
Phenol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
m-cresol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
p-cresol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
o-cresol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
4-chlorophenol	Chapter 5.2.5 Organic Substances, dust, including fine dust. To be treated as overall dust. The emissions of dust in the exhaust gas are not allowed to exceed the following values: Mass flow: 0,20 kg/hr or Mass conc.: 20 mg/m ³ The mass per unit volume of 0,15 g/m ³ in exhaust gas is not allowed to be exceeded also on observance or lower deviation of a mass flow of 0,20	

	kg/h. For emission sources that exceed the mass flow rate of 0.40 kg/h, the mass concentration in waste gas the mass concentration must not exceed 10 mg/m ³ .	
2,6-xyleneol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
2-naphthol	Chapter 5.2.5 Organic Substances, dust, including fine dust. To be treated as overall dust. The emissions of dust in the exhaust gas are not allowed to exceed the following values: Mass flow: 0,20 kg/hr or Mass conc.: 20 mg/m ³ The mass per unit volume of 0,15 g/m ³ in exhaust gas is not allowed to be exceeded also on observance or lower deviation of a mass flow of 0,20 kg/h. For emission sources that exceed the mass flow rate of 0.40 kg/h, the mass concentration in waste gas the mass concentration must not exceed 10 mg/m ³ .	
1-naphthol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
2,4-dichlorophenol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	
Methanol	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow: 0,10 kg/hr or Mass conc.: 20 mg/m ³	

German technical rules for hazardous substances (TRGS)

Component	TRGS	Remark
2,4-dinitrophenol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
Picric acid	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 510 TRGS 800	dry or wetted with less than 30 % by weight of water
Resorcinol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
Phenol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS	

	401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
m-cresol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
p-cresol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
o-cresol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
4-chlorophenol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
2,6-xyleneol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
2-naphthol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
1-naphthol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
2,4-dichlorophenol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
Methanol	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	

15.2 Chemical safety assessment

	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
--	--

16 Other information

Information on revision

Creation Date	2026/01/13
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
- [2] IARC, website: <http://www.iarc.fr/>.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.echemportal.org/echemportal/>.

- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
 [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
 [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
 [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
 [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC _x	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P _{ow}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

Disclaimer

This Safety Data Sheet (SDS) was prepared according to REACH Regulation. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.