

## Safety Data Sheet

# 35 kinds of VOCs in Methanol

Version : V2.0.0.1

Report No. : BWQ8991-2016-MSDS-EP

Creation Date : 2026/01/08

Revision Date : -



\*Prepared in accordance with EU REACH Regulation (REACH 1907/2006 with amendment 2020/878)

## 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product Name	35 kinds of VOCs in Methanol
Cat No.	BWQ8991-2016
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable
REACH Registration Number	-
UFI	No information available

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

### 1.3 Details of the supplier of the Safety Data Sheet

Name of the company	Weiyel Inc
Address of the company	Hedian Light Industrial Park, Chengguan Town, Shangcheng County, Xinyang City, Henan Province, China
Post code	465350
Telephone number	010-58103678
Fax number	010-84840368
E-mail address	info@weiyel.com

### 1.4 Emergency telephone number

Emergency telephone number	010-58103678
Opening hours	24h

## 2 Hazards identification

### 2.1 CLP classification according to Regulation ( EC ) No. 1272/2008 with amendment 2023/707

Flammable liquids	Category 2
Acute Toxicity - Oral	Category 3
Acute Toxicity - Dermal	Category 3
Acute Toxicity - Inhalation	Category 3
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1

Specific target organ toxicity - single exposure	Category 1
Hazardous to the aquatic environment - long-term (chronic) hazard	Category 3
Hazardous to the ozone layer	Category 1

## 2.2 Label elements

Hazard pictograms	
Signal word	<b>Danger</b>

## Hazard statements

H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H340	May cause genetic defects
H350	May cause cancer
H370	Causes damage to organs
H412	Harmful to aquatic life with long lasting effects
H420	Harms public health and the environment by destroying ozone in the upper atmosphere
EUH066	Repeated exposure may cause skin dryness or cracking
EUH208	Contains sensitising substance. May produce an allergic reaction

## Precautionary statements

### ◆ Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash hands and other parts of the body (if related) thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

### ◆ Response

P311	Call a POISON CENTER/ doctor.
P321	Specific treatment (see related instructions on the label).
P330	Rinse mouth.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P370+P378	Small fire: dry chemical, CO <sub>2</sub> or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

◆ Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

◆ Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
P502	Refer to manufacturer or supplier for information on recovery or recycling.

## 2.3 Other hazards

◆ Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Methanol	Not PBT/vPvB
1,1-dichloroethylene	Not PBT/vPvB
1,1,2-trichlorotrifluoroethane	Insufficient information, temporarily unable to evaluate
3-chloropropene	Insufficient information, temporarily unable to evaluate
Dichloromethane	Not PBT/vPvB
1,1-dichloroethane	Insufficient information, temporarily unable to evaluate
cis-dichloroethylene	Insufficient information, temporarily unable to evaluate
Chloroform	Not PBT/vPvB
1,1,1-trichloroethane	Insufficient information, temporarily unable to evaluate
Carbon tetrachloride	Not PBT/vPvB
1,2-dichloroethane	Not PBT/vPvB
Benzene	Not PBT/vPvB
Trichloroethylene	Not PBT/vPvB
1,2-dichloropropane	Not PBT/vPvB
(Z)-1,3-Dichloro-1-propene	Insufficient information, temporarily unable to evaluate

<b>Toluene</b>	Not PBT/vPvB
<b>trans-1,3-Dichloropropene</b>	Insufficient information, temporarily unable to evaluate
<b>1,1,2-trichloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>Tetrachloroethylene</b>	Not PBT/vPvB
<b>1,2-dibromoethane</b>	Not PBT/vPvB
<b>Chlorobenzene</b>	Not PBT/vPvB
<b>Ethylbenzene</b>	Not PBT/vPvB
<b>m-xylene</b>	Not PBT/vPvB
<b>p-xylene</b>	Not PBT/vPvB
<b>o-xylene</b>	Not PBT/vPvB
<b>Styrene</b>	Not PBT/vPvB
<b>1,1,2,2-tetrachloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>4-ethyltoluene</b>	Insufficient information, temporarily unable to evaluate
<b>Mesitylene</b>	Not PBT/vPvB
<b>1,2,4-trimethylbenzene</b>	Not PBT/vPvB
<b>1,3-dichlorobenzene</b>	Not PBT/vPvB
<b>1,4-dichlorobenzene</b>	Not PBT/vPvB
<b><math>\alpha</math>-chlorotoluene</b>	Insufficient information, temporarily unable to evaluate
<b>1,2-dichlorobenzene</b>	Not PBT/vPvB
<b>1,2,4-trichlorobenzene</b>	Insufficient information, temporarily unable to evaluate
<b>Hexachlorobuta-1,3-diene</b>	Insufficient information, temporarily unable to evaluate

◆ Results of endocrine disrupting properties assessment

<b>Component</b>	<b>Results of endocrine disrupting properties assessment [according to (EU) No 2017/2100 or (EU) No 2018/605]</b>
<b>Methanol</b>	Insufficient information, temporarily unable to evaluate
<b>1,1-dichloroethylene</b>	Insufficient information, temporarily unable to evaluate
<b>1,1,2-trichlorotrifluoroethane</b>	Insufficient information, temporarily unable to evaluate
<b>3-chloropropene</b>	Insufficient information, temporarily unable to evaluate
<b>Dichloromethane</b>	Insufficient information, temporarily unable to evaluate
<b>1,1-dichloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>cis-dichloroethylene</b>	Insufficient information, temporarily unable to evaluate
<b>Chloroform</b>	Insufficient information, temporarily unable to evaluate
<b>1,1,1-trichloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>Carbon tetrachloride</b>	Insufficient information, temporarily unable to evaluate
<b>1,2-dichloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>Benzene</b>	Insufficient information, temporarily unable to evaluate
<b>Trichloroethylene</b>	Insufficient information, temporarily unable to evaluate

<b>1,2-dichloropropane</b>	Insufficient information, temporarily unable to evaluate
<b>(Z)-1,3-Dichloro-1-propene</b>	Insufficient information, temporarily unable to evaluate
<b>Toluene</b>	Insufficient information, temporarily unable to evaluate
<b>trans-1,3-Dichloropropene</b>	Insufficient information, temporarily unable to evaluate
<b>1,1,2-trichloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>Tetrachloroethylene</b>	Insufficient information, temporarily unable to evaluate
<b>1,2-dibromoethane</b>	Insufficient information, temporarily unable to evaluate
<b>Chlorobenzene</b>	Insufficient information, temporarily unable to evaluate
<b>Ethylbenzene</b>	Insufficient information, temporarily unable to evaluate
<b>m-xylene</b>	Insufficient information, temporarily unable to evaluate
<b>p-xylene</b>	Insufficient information, temporarily unable to evaluate
<b>o-xylene</b>	Insufficient information, temporarily unable to evaluate
<b>Styrene</b>	Insufficient information, temporarily unable to evaluate
<b>1,1,2,2-tetrachloroethane</b>	Insufficient information, temporarily unable to evaluate
<b>4-ethyltoluene</b>	Insufficient information, temporarily unable to evaluate
<b>Mesitylene</b>	Insufficient information, temporarily unable to evaluate
<b>1,2,4-trimethylbenzene</b>	Insufficient information, temporarily unable to evaluate
<b>1,3-dichlorobenzene</b>	Insufficient information, temporarily unable to evaluate
<b>1,4-dichlorobenzene</b>	Insufficient information, temporarily unable to evaluate
<b><math>\alpha</math>-chlorotoluene</b>	Insufficient information, temporarily unable to evaluate
<b>1,2-dichlorobenzene</b>	Insufficient information, temporarily unable to evaluate
<b>1,2,4-trichlorobenzene</b>	Insufficient information, temporarily unable to evaluate
<b>Hexachlorobuta-1,3-diene</b>	Insufficient information, temporarily unable to evaluate

◆ Other

Not applicable.

### 3 Composition/information on ingredients

#### 3.1 Substance

Not applicable

#### 3.2 Mixture

Component	Weight % content(or range)	Classification according to Regulation ( EC ) No. 1272/2008 with amendment 2023/707 [CLP]	Specific Conc. Limits, M-factors
<b>Methanol</b> CAS : 67-56-1 EC : 200-659-6 Index No. : 603-001-00-X	95.45	Flammable liquids, Category 2, H225; Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Acute Toxicity - Inhalation, Category 3, H331; Specific target organ toxicity - single exposure, Category 1, H370	H370:C $\geq$ 10% H371:3% $\leq$ C < 10%
<b>1,1-dichloroethylene</b> CAS : 75-35-4 EC : 200-864-0 Index No. : 602-025-00-8	0.13	Flammable liquids, Category 1, H224; Acute Toxicity - Inhalation, Category 4, H332; Carcinogenicity, Category 2, H351	-

<b>1,1,2-trichlorotrifluoroethane</b> CAS : 76-13-1 EC : 200-936-1 Index No. : -	0.13	Serious eye damage/irritation, Category 2, H319; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411; Hazardous to the ozone layer, Category 1, H420	-
<b>3-chloropropene</b> CAS : 107-05-1 EC : 203-457-6 Index No. : 602-029-00-X	0.13	Flammable liquids, Category 2, H225; Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Dermal, Category 4, H312; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 4, H332; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Germ cell mutagenicity, Category 2, H341; Carcinogenicity, Category 2, H351; Specific target organ toxicity - repeated exposure, Category 2, H373; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400	-
<b>Dichloromethane</b> CAS : 75-09-2 EC : 200-838-9 Index No. : 602-004-00-3	0.13	Carcinogenicity, Category 2, H351	-
<b>1,1-dichloroethane</b> CAS : 75-34-3 EC : 200-863-5 Index No. : 602-011-00-1	0.13	Flammable liquids, Category 2, H225; Acute Toxicity - Oral, Category 4, H302; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 3, H412	-
<b>cis-dichloroethylene</b> CAS : 156-59-2 EC : 205-859-7 Index No. : 602-026-00-3	0.13	Flammable liquids, Category 2, H225; Acute Toxicity - Inhalation, Category 4, H332; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 3, H412	-
<b>Chloroform</b> CAS : 67-66-3 EC : 200-663-8 Index No. : 602-006-00-4	0.13	Acute Toxicity - Oral, Category 4, H302; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 3, H331; Carcinogenicity, Category 2, H351; Reproductive toxicity, Category 2, H361; Specific target organ toxicity - repeated exposure, Category 1, H372	-
<b>1,1,1-trichloroethane</b> CAS : 71-55-6 EC : 200-756-3 Index No. : 602-013-00-2	0.13	Acute Toxicity - Inhalation, Category 4, H332; Hazardous to the ozone layer, Category 1, H420	-
<b>Carbon tetrachloride</b> CAS : 56-23-5 EC : 200-262-8 Index No. : 602-008-00-5	0.13	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Acute Toxicity - Inhalation, Category 3, H331; Carcinogenicity, Category 2, H351; Specific target organ toxicity - repeated exposure, Category 1, H372; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 3, H412; Hazardous to the ozone layer, Category 1, H420	H372:C ≥ 1% H373:0.2% ≤ C < 1%
<b>1,2-dichloroethane</b> CAS : 107-06-2	0.13	Flammable liquids, Category 2, H225; Acute Toxicity - Oral, Category 4, H302;	-

EC : 203-458-1 Index No. : 602-012-00-7		Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Carcinogenicity, Category 1B, H350	
<b>Benzene</b> CAS : 71-43-2 EC : 200-753-7 Index No. : 601-020-00-8	0.13	Flammable liquids, Category 2, H225; Aspiration hazard, Category 1, H304; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Germ cell mutagenicity, Category 1B, H340; Carcinogenicity, Category 1A, H350; Specific target organ toxicity - repeated exposure, Category 1, H372	-
<b>Trichloroethylene</b> CAS : 79-01-6 EC : 201-167-4 Index No. : 602-027-00-9	0.13	Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure; narcotic effects, Category 3, H336; Germ cell mutagenicity, Category 2, H341; Carcinogenicity, Category 1B, H350; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 3, H412	-
<b>1,2-dichloropropane</b> CAS : 78-87-5 EC : 201-152-2 Index No. : 602-020-00-0	0.13	Flammable liquids, Category 2, H225; Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Inhalation, Category 4, H332; Carcinogenicity, Category 1B, H350	-
<b>(Z)-1,3-Dichloro-1-propene</b> CAS : 10061-01-5 EC : 233-195-8 Index No. : 602-030-00-5	0.13	Flammable liquids, Category 3, H226; Acute Toxicity - Oral, Category 3, H301; Aspiration hazard, Category 1, H304; Acute Toxicity - Dermal, Category 3, H311; Skin Corrosion/Irritation, Category 2, H315; Sensitization - skin, Category 1, H317; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 4, H332; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	-
<b>Toluene</b> CAS : 108-88-3 EC : 203-625-9 Index No. : 601-021-00-3	0.13	Flammable liquids, Category 2, H225; Aspiration hazard, Category 1, H304; Skin Corrosion/Irritation, Category 2, H315; Specific target organ toxicity - single exposure; narcotic effects, Category 3, H336; Reproductive toxicity, Category 2, H361; Specific target organ toxicity - repeated exposure, Category 2, H373	-
<b>trans-1,3-Dichloropropene</b> CAS : 10061-02-6 EC : 431-460-4 Index No. : -	0.13	Flammable liquids, Category 3, H226; Acute Toxicity - Oral, Category 3, H301; Aspiration hazard, Category 1, H304; Acute Toxicity - Dermal, Category 3, H311; Skin Corrosion/Irritation, Category 2, H315; Sensitization - skin, Category 1, H317; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 3, H331; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3,	M=10;M(Chronic)=10

		H335; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	
<b>1,1,2-trichloroethane</b> CAS : 79-00-5 EC : 201-166-9 Index No. : 602-014-00-8	0.13	Acute Toxicity - Oral, Category 4, H302; Acute Toxicity - Dermal, Category 4, H312; Acute Toxicity - Inhalation, Category 4, H332; Carcinogenicity, Category 2, H351; Repeated exposure may cause skin dryness or cracking, EUH066	-
<b>Tetrachloroethylene</b> CAS : 127-18-4 EC : 204-825-9 Index No. : 602-028-00-4	0.13	Carcinogenicity, Category 2, H351; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>1,2-dibromoethane</b> CAS : 106-93-4 EC : 203-444-5 Index No. : 602-010-00-6	0.13	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 3, H311; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 3, H331; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Carcinogenicity, Category 1B, H350; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>Chlorobenzene</b> CAS : 108-90-7 EC : 203-628-5 Index No. : 602-033-00-1	0.13	Flammable liquids, Category 3, H226; Skin Corrosion/Irritation, Category 2, H315; Acute Toxicity - Inhalation, Category 4, H332; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>Ethylbenzene</b> CAS : 100-41-4 EC : 202-849-4 Index No. : 601-023-00-4	0.13	Flammable liquids, Category 2, H225; Aspiration hazard, Category 1, H304; Acute Toxicity - Inhalation, Category 4, H332; Specific target organ toxicity - repeated exposure, Category 2, H373	-
<b>m-xylene</b> CAS : 108-38-3 EC : 203-576-3 Index No. : 601-022-00-9	0.13	Flammable liquids, Category 3, H226; Acute Toxicity - Dermal, Category 4, H312; Skin Corrosion/Irritation, Category 2, H315; Acute Toxicity - Inhalation, Category 4, H332	-
<b>p-xylene</b> CAS : 106-42-3 EC : 203-396-5 Index No. : 601-022-00-9	0.13	Flammable liquids, Category 3, H226; Acute Toxicity - Dermal, Category 4, H312; Skin Corrosion/Irritation, Category 2, H315; Acute Toxicity - Inhalation, Category 4, H332	-
<b>o-xylene</b> CAS : 95-47-6 EC : 202-422-2 Index No. : 601-022-00-9	0.13	Flammable liquids, Category 3, H226; Acute Toxicity - Dermal, Category 4, H312; Skin Corrosion/Irritation, Category 2, H315; Acute Toxicity - Inhalation, Category 4, H332	-
<b>Styrene</b> CAS : 100-42-5 EC : 202-851-5 Index No. : 601-026-00-0	0.13	Flammable liquids, Category 3, H226; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 4, H332; Reproductive toxicity, Category 2, H361; Specific target organ toxicity - repeated exposure, Category 1, H372	-

<b>1,1,2,2-tetrachloroethane</b> CAS : 79-34-5 EC : 201-197-8 Index No. : 602-015-00-3	0.13	Acute Toxicity - Dermal, Category 1, H310; Acute Toxicity - Inhalation, Category 2, H330; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>4-ethyltoluene</b> CAS : 622-96-8 EC : 210-761-2 Index No. : -	0.13	Flammable liquids, Category 3, H226; Aspiration hazard, Category 1, H304	-
<b>Mesitylene</b> CAS : 108-67-8 EC : 203-604-4 Index No. : 601-025-00-5	0.13	Flammable liquids, Category 3, H226; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	H335:C ≥ 25%
<b>1,2,4-trimethylbenzene</b> CAS : 95-63-6 EC : 202-436-9 Index No. : 601-043-00-3	0.13	Flammable liquids, Category 3, H226; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Acute Toxicity - Inhalation, Category 4, H332; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>1,3-dichlorobenzene</b> CAS : 541-73-1 EC : 208-792-1 Index No. : 602-067-00-7	0.13	Acute Toxicity - Oral, Category 4, H302; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 2, H411	-
<b>1,4-dichlorobenzene</b> CAS : 106-46-7 EC : 203-400-5 Index No. : 602-035-00-2	0.13	Serious eye damage/irritation, Category 2, H319; Carcinogenicity, Category 2, H351; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	-
<b>α-chlorotoluene</b> CAS : 100-44-7 EC : 202-853-6 Index No. : 602-037-00-3	0.13	Acute Toxicity - Oral, Category 4, H302; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 1, H318; Acute Toxicity - Inhalation, Category 3, H331; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Carcinogenicity, Category 1B, H350; Specific target organ toxicity - repeated exposure, Category 2, H373	-
<b>1,2-dichlorobenzene</b> CAS : 95-50-1 EC : 202-425-9 Index No. : 602-034-00-7	0.13	Acute Toxicity - Oral, Category 4, H302; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 2, H319; Specific target organ toxicity - single exposure; respiratory tract irritation, Category 3, H335; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	-
<b>1,2,4-trichlorobenzene</b> CAS : 120-82-1 EC : 204-428-0 Index No. : 602-087-00-6	0.13	Acute Toxicity - Oral, Category 4, H302; Skin Corrosion/Irritation, Category 2, H315; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the	-

		aquatic environment - long-term (chronic) hazard, Category 1, H410	
<b>Hexachlorobuta-1,3-diene</b> CAS : 87-68-3 EC : 201-765-5 Index No. : -	0.13	Acute Toxicity - Oral, Category 3, H301; Acute Toxicity - Dermal, Category 2, H310; Skin Corrosion/Irritation, Category 2, H315; Serious eye damage/irritation, Category 1, H318; Carcinogenicity, Category 2, H351; Hazardous to the aquatic environment - short-term (acute) hazard, Category 1, H400; Hazardous to the aquatic environment - long-term (chronic) hazard, Category 1, H410	-

## 4 First-aid measures

### 4.1 Description of first aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
<b>Eye contact</b>	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
<b>Skin contact</b>	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.
<b>Ingestion</b>	Induce vomiting (ONLY IN CONSCIOUS PERSONS!). Refer for medical attention.
<b>Inhalation</b>	Fresh air, rest. Refer for medical attention.
<b>Protecting of first-aiders</b>	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

### 4.2 Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
---	----------------------------------------------------------------------------------------------------------------------------------------

### 4.3 Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

## 5 Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Small fire: dry chemical, CO <sub>2</sub> or alcohol-resistant foam; Large fire: alcohol-resistant foam; Fire involving tanks, rail tank cars or highway tanks: Fight fire from maximum distance or use unmanned master stream devices or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out.
<b>Unsuitable extinguishing media</b>	Use of water spray when fighting fire may be inefficient.

### 5.2 Specific hazards arising from the substance or mixture

1	Will form explosive mixtures with air.
2	Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/or vapour concentration.
3	Vapours may travel to source of ignition and flash back.
4	Liquid and vapour are flammable.
5	Development of hazardous combustion gases or vapor possible in the event of fire.
6	May expansion or decompose explosively when heated or involved in fire.

### 5.3 Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus ( MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

## 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

1	Avoid breathing vapours and contacting with skin and eye.
2	Beware of vapours accumulating to form explosive concentrations.
3	Vapours can accumulate in low areas.
4	Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
5	Use personal protective equipment, do not breathe gas/mist/vapour/spray.
6	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
7	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

1	It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
2	In case of small amount of spillage, use clean non sparking tools to collect absorption materials.
3	In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space.
4	Collect absorbent material using a clean, non-sparking tool.
5	Cover with anti-solvent foam to reduce evaporation.
6	Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
7	Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.
8	Cut off the source of the leak as much as possible.
9	Keep leaks in a ventilated place.
10	Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
11	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
12	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.
13	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4 Reference to other sections

1	Personal Protective Equipment advice is contained in Section 8 of the SDS.
2	Disposal considerations advice is contained in Section 13 of the SDS.

## 7 Handling and storage

### 7.1 Precautions for safe handling

#### ◆ Protective measures

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.

#### ◆ Measures to prevent fire

1	Use only non-sparking tools.
2	To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
3	Use explosion proof equipment.
4	Keep away from heat/sparks/open flames/ hot surfaces.

#### ◆ Measures to prevent aerosol and dust generation

1	Not applicable.
---	-----------------

#### ◆ Advice on general occupational hygiene

1	Wash hands and face after using the substances.
2	Replace the contaminated clothing immediately.

### 7.2 Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

### 7.3 Specific end use(s)

1	In addition to use mentioned in the Section 1.2, unforeseen other specific end uses.
---	--------------------------------------------------------------------------------------

## 8 Exposure controls/personal protection

### 8.1 Control parameters

#### ◆ Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Methanol	Japan - JSOH(2024-2025)	200	260	-	-
	Permissible exposure standards for workers in the workplace	200	262	250	327.5
	European Union	200	260	-	-
	France	200	260	-	-
	Germany (AGS)	100	130	200	260
	Germany (DFG)	100	130	200	260

<b>1,1-dichloroethylene</b>	European Union	2	8	5	20
	France	2	8	5	20
	Germany (AGS)	2	8	4	16
	Germany (DFG)	2	8	4	16
	Italy	2	8	5	20
	United Kingdom	2	8	5	20
<b>1,1,2-trichlorotrifluoroethane</b>	Japan - JSOH(2024-2025)	500	3800	-	-
	Permissible exposure standards for workers in the workplace	1000	7670	1000	7670
	France	1000	7600	1250	9500
	Germany (AGS)	500	3900	1000	7800
	Germany (DFG)	500	3900	1000	7800
	Austria	500	3800	1000	7600
	<b>3-chloropropene</b>	Permissible exposure standards for workers in the workplace	1	3	2
France		1	3	-	-
Austria		1	3	1	3
Belgium		1	3	2	6
Denmark		1	3	2	6
Finland		1	3.2	3	9.5
<b>Dichloromethane</b>	Japan - JSOH(2024-2025)	50	173	-	-
	Permissible exposure standards for workers in the workplace	50	174	75	217.5
	European Union	100	353	200	706
	France	50	178	100	356
	Germany (AGS)	50	180	100	360
	Germany (DFG)	50	180	100	360
	<b>1,1-dichloroethane</b>	Japan - JSOH(2024-2025)	100	400	-
Permissible exposure standards for workers in the workplace		100	405	125	506.25
European Union		100	412	-	-

	France	100	412	-	-
	Germany (AGS)	50	210	100	420
	Germany (DFG)	50	205	100	410
<b>cis-dichloroethylene</b>	Germany (AGS)	200	800	400	1600
	Germany (DFG)	200	800	400	1600
	United Kingdom	200	806	250	1010
	Austria	200	790	800	3160
	Belgium	200	805	-	-
	Denmark	200	790	400	1580
<b>Chloroform</b>	Japan - JSOH(2024-2025)	3	14.7	-	-
	Permissible exposure standards for workers in the workplace	-	-	-	-
	European Union	2	10	-	-
	France	2	10	-	-
	Germany (AGS)	0.5	2.5	1	5
	Germany (DFG)	0.5	2.5	1	5
<b>1,1,1-trichloroethane</b>	Japan - JSOH(2024-2025)	200	1090	-	-
	Permissible exposure standards for workers in the workplace	350	1910	437.5	1910
	European Union	100	555	200	1110
	France	100	555	200	1110
	Germany (AGS)	100	550	100	550
	Germany (DFG)	100	550	100	550
<b>Carbon tetrachloride</b>	Japan - JSOH(2024-2025)	5	31	-	-
	Permissible exposure standards for workers in the workplace	2	13	4	19.5
	European Union	1	6.4	5	32
	France	1	6.4	5	32
	Germany (AGS)	0.5	3.2	1	6.4
	Germany (DFG)	0.5	3.2	1	6.4
<b>1,2-dichloroethane</b>	Japan - JSOH(2024-2025)	10	40	-	-

	Permissible exposure standards for workers in the workplace	10	40	15	60
	European Union	2	8.2	-	-
	France	2	8.2	-	-
	Italy	2	8.2	-	-
	United Kingdom	5	21	-	-
<b>Benzene</b>	Japan - JSOH(2024-2025)	1(individual excess lifetime risk of cancer $10^{-3}$ )	-	-	-
	Permissible exposure standards for workers in the workplace	1	3.2	2	6.4
	European Union	0.2	0.66	-	-
	France	1	3.25	-	-
	Germany (AGS)	0.6	1.9	4.8	15.2
	Italy	1	3.25	-	-
<b>Trichloroethylene</b>	Japan - JSOH(2024-2025)	25	135	-	-
	Permissible exposure standards for workers in the workplace	50	269	75	336.25
	European Union	10	54.7	30	164.1
	France	10	54.7	30	164.1
	Germany (AGS)	6	33	48	264
	Italy	10	54.7	30	164.1
<b>1,2-dichloropropane</b>	Japan - JSOH(2024-2025)	1	4.6	-	-
	Permissible exposure standards for workers in the workplace	75	347	112.5	433.75
	France	75	350	-	-
	Austria	75	350	375	1750
	Belgium	10	47	-	-
	Denmark	75	350	150	700
<b>Toluene</b>	Japan - JSOH(2024-2025)	50	188	-	-
	Permissible exposure	50	188	75	235

	standards for workers in the workplace				
	European Union	50	192	100	384
	France	20	76.8	100	384
	Germany (AGS)	50	190	100	380
	Germany (DFG)	50	190	100	380
<b>1,1,2-trichloroethane</b>	Japan - JSOH(2024-2025)	10	55	-	-
	Permissible exposure standards for workers in the workplace	10	55	15	82.5
	Germany (AGS)	1	5.5	2	11
	Germany (DFG)	1	5.5	2	11
	Austria	10	55	50	275
	Belgium	10	56	-	-
<b>Tetrachloroethylene</b>	Permissible exposure standards for workers in the workplace	50	339	75	423.75
	European Union	20	138	40	275
	France	20	138	40	275
	Germany (AGS)	10	69	20	138
	Germany (DFG)	10	69	20	138
	Italy	20	138	40	275
<b>1,2-dibromoethane</b>	Permissible exposure standards for workers in the workplace	20	154	30	192.5
	European Union	0.1	0.8	-	-
	France	0.1	0.8	-	-
	Germany (AGS)	0.1	0.8	-	-
	Italy	0.1	0.8	-	-
	United Kingdom	0.5	3.9	-	-
<b>Chlorobenzene</b>	Japan - JSOH(2024-2025)	10	46	-	-
	Permissible exposure standards for workers in the workplace	75	345	112.5	431.25
	European Union	5	23	15	70
	France	5	23	15	70

	Germany (AGS)	5	23	10	46
	Germany (DFG)	5	23	10	46
<b>Ethylbenzene</b>	Japan - JSOH(2024-2025)	20	87	-	-
	Permissible exposure standards for workers in the workplace	100	434	125	542.5
	European Union	100	442	200	884
	France	20	88.4	100	442
	Germany (AGS)	20	88	40	176
	Germany (DFG)	20	88	40	176
<b>m-xylene</b>	Permissible exposure standards for workers in the workplace	100	434	125	542.5
	European Union	50	221	100	442
	France	50	221	100	442
	Germany (AGS)	50	220	100	440
	Germany (DFG)	50	220	100	440
	Italy	50	221	100	442
<b>p-xylene</b>	Permissible exposure standards for workers in the workplace	100	434	125	542.5
	European Union	50	221	100	442
	France	50	221	100	442
	Germany (AGS)	50	220	100	440
	Germany (DFG)	50	220	100	440
	Italy	50	221	100	442
<b>o-xylene</b>	Permissible exposure standards for workers in the workplace	100	434	125	542.5
	European Union	50	221	100	442
	Germany (AGS)	50	220	100	440
	Germany (DFG)	50	220	100	440
	Italy	50	221	100	442
	United Kingdom	50	220	100	441
<b>Styrene</b>	Japan - JSOH(2024-2025)	10	42.6	-	-
	Permissible	50	213	75	266.25

	exposure standards for workers in the workplace				
	France	23.3	100	46.6	200
	Germany (AGS)	20	86	40	172
	Germany (DFG)	20	86	40	172
	United Kingdom	100	430	250	1080
<b>1,1,2,2-tetrachloroethane</b>	Japan - JSOH(2024-2025)	1	6.9	-	-
	Permissible exposure standards for workers in the workplace	1	6.9	2	13.8
	France	1	7	5	35
	Germany (AGS)	1	7	2	14
	Germany (DFG)	2	14	4	28
	Austria	1	7	-	-
<b>4-ethyltoluene</b>	Poland	-	100	-	-
	Romania	61	300	81	400
<b>Mesitylene</b>	Japan - JSOH(2024-2025)	25	120	-	-
	European Union	20	100	-	-
	France	20	100	50	250
	Germany (AGS)	20	100	40	200
	Germany (DFG)	20	100	40	200
	Italy	20	100	-	-
<b>1,2,4-trimethylbenzene</b>	Japan - JSOH(2024-2025)	25	120	-	-
	European Union	20	100	-	-
	France	20	100	50	250
	Germany (AGS)	20	100	40	200
	Germany (DFG)	20	100	40	200
	Italy	20	100	-	-
<b>1,3-dichlorobenzene</b>	Germany (AGS)	2	12	4	24
	Germany (DFG)	2	12	4	24
	Austria	3	20	12	80
	Hungary	-	12	-	24
	Latvia	-	20	-	-
	Switzerland	2	12	4	24

<b>1,4-dichlorobenzene</b>	Japan - JSOH(2024-2025)	10	60	-	-
	Permissible exposure standards for workers in the workplace	75	450	112.5	562.5
	European Union	2	12	10	60
	France	0.75	4.5	10	60
	Germany (AGS)	2	12	4	24
	Germany (DFG)	2	12	4	24
<b><math>\alpha</math>-chlorotoluene</b>	Permissible exposure standards for workers in the workplace	1	5.2	2	10.4
	France	1	5	2	11
	United Kingdom	0.5	2.6	1.5	7.9
	Austria	-	0.2	-	0.8
	Belgium	1	5.3	-	-
	Denmark	1	5	1	5
<b>1,2-dichlorobenzene</b>	Japan - JSOH(2024-2025)	25	150	-	-
	Permissible exposure standards for workers in the workplace	-	-	-	-
	European Union	20	122	50	306
	France	20	122	50	306
	Germany (AGS)	10	61	20	122
	Germany (DFG)	10	61	20	122
<b>1,2,4-trichlorobenzene</b>	Permissible exposure standards for workers in the workplace	-	-	-	-
	European Union	2	15.1	5	37.8
	France	2	15.1	5	37.8
	Germany (AGS)	0.5	3.8	2	15.2
	Germany (DFG)	0.5	0.38	1	0.76
	Italy	2	15.1	5	37.8
<b>Hexachlorobuta-1,3-diene</b>	Japan - JSOH(2024-2025)	0.01	0.12	-	-
	Permissible exposure standards for	0.02	0.21	0.06	0.63

	workers in the workplace				
	Germany (AGS)	0.02	0.22	0.04	0.44
	Germany (DFG)	0.02	0.22	0.04	0.44
	Belgium	0.02	0.21	-	-
	Denmark	0.02	0.24	0.04	0.48

◆ Biological limit values

Component	Standard	Biological monitoring index	Biological limits value	Sampling time	Remark
<b>Methanol</b>	USA -ACGIH	Methanol(Urine)	15mg/L	End of shift	
<b>Dichloromethane</b>	SCOEL(EU)	COHb/blood	0.04	Not strictly regulated	
		methylene chloride/urine	0.3mg/L	Not strictly regulated	
		methylene chloride/blood	1.0mg/L	Not strictly regulated	
		Dichloromethane(Urine)	0.3mg/L	End of shift	
<b>1,1,1-trichloroethane</b>	USA -ACGIH	Methyl chloroform(EXA)	20ppm	Prior to last shift of work week	
		Methyl chloroform(Urine)	700µg/L	End of shift	
<b>Benzene</b>	SCOEL(EU)	benzene/blood	28 µg/L	immediately end of shift	
		phenylmercapturic acid/urine	46 µg/L creatinine	end of exposure/shift	
		S-Phenylmercapturic acid(Creatinine in urine)	25µg/g	End of shift	
		t,t-Muconic acid(Creatinine in urine)	500µg/g	End of shift	
<b>Trichloroethylene</b>	SCOEL(EU)	trichloroacetic acid/urine	20mg/L	end of the last shift/work-week/shift period	
		Trichloroacetic acid(Urine)	15mg/L	End of shift at end of work week	
		Trichloroethanol, without hydrolysis(Blood)	0.5mg/L	End of shift at end of work week	
		Trichloroethylene(Blood)	Semi-quantitative	End of shift at end of work week	
		Trichloroethylene(EXA)	Semi-quantitative	End of shift at end of work week	
<b>Toluene</b>	USA -ACGIH	o-Cresol, with hydrolysis(Creatinine in urine)	0.3mg/g	End of shift	
		Toluene(Urine)	0.03mg/L	End of shift	

		Toluene(Blood)	0.02mg/L	Prior to last shift of work week	
<b>Tetrachloroethylene</b>	SCOEL(EU)	tetrachloroethylene/blood	0.4mg/L	prior to the last shift of a work-week	
		tetrachloroethylene/end-exhaled air	3ppm(0.435mg/m <sup>3</sup> )	prior to the last shift of a work-week	
		Tetrachloroethylene(EXA)	3ppm	Prior to shift	
		Tetrachloroethylene(Blood)	0.5mg/L	Prior to shift	
<b>Chlorobenzene</b>	USA -ACGIH	4-Chlorocatechol, with hydrolysis(Creatinine in urine)	100mg/g	End of shift at end of work week	
		p-Chlorophenol, with hydrolysis(Creatinine in urine)	20mg/g	End of shift at end of work week	
<b>Ethylbenzene</b>	USA -ACGIH	Sum of mandelic acid and phenylglyoxylic acid(Creatinine in urine)	150mg/g	End of shift	
<b>m-xylene</b>	USA -ACGIH	Methylhippuric acids(Creatinine in urine)	0.3g/g	End of shift	
<b>p-xylene</b>	USA -ACGIH	Methylhippuric acids(Creatinine in urine)	0.3g/g	End of shift	
<b>o-xylene</b>	USA -ACGIH	Methylhippuric acids(Creatinine in urine)	0.3g/g	End of shift	
<b>Styrene</b>	USA -ACGIH	Mandelic acid plus phenylglyoxylic acid(Creatinine in urine)	150mg/g	End of shift	
		Styrene(Urine)	20µg/L	End of shift	

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300 and GBZ/T 160 series standard Determination of toxic substances in workplace air.

◆ Derived No effect level (DNEL)

Component	Route of exposure	DNEL for Workers			
		Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
<b>Methanol</b>	Inhalation	No data available	No data available	130 mg/m <sup>3</sup>	130 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,1-dichloroethylene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

<b>1,1,2-trichlorotrifluoroethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>3-chloropropene</b>	Inhalation	No data available	No data available	No data available	1.1 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Dichloromethane</b>	Inhalation	No data available	No data available	No data available	176 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,1-dichloroethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>cis-dichloroethylene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Chloroform</b>	Inhalation	No data available	No data available	2.5 mg/m3	2.5 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,1,1-trichloroethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Carbon tetrachloride</b>	Inhalation	No data available	No data available	No data available	1.29 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2-dichloroethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Benzene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Trichloroethylene</b>	Inhalation	No data available	No data available	No data available	54.7 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2-dichloropropane</b>	Inhalation	No data available	No data available	No data available	28.88 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>(Z)-1,3-Dichloro-1-</b>	Inhalation	No data available	No data available	No data available	No data available

<b>propene</b>	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Toluene</b>	Inhalation	No data available	No data available	192 mg/m3	192 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>trans-1,3-Dichloro propene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,1,2-trichloroethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Tetrachloroethylene</b>	Inhalation	No data available	No data available	No data available	138 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2-dibromoethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Chlorobenzene</b>	Inhalation	No data available	No data available	No data available	23 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Ethylbenzene</b>	Inhalation	No data available	No data available	No data available	77 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>m-xylene</b>	Inhalation	No data available	No data available	221 mg/m3	221 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>p-xylene</b>	Inhalation	No data available	No data available	221 mg/m3	221 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>o-xylene</b>	Inhalation	No data available	No data available	221 mg/m3	221 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Styrene</b>	Inhalation	No data available	No data available	100 mg/m3	100 mg/m3
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,1,2,2-tetrachloroethane</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available

	Dermal	No data available	No data available	No data available	No data available
<b>4-ethyltoluene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Mesitylene</b>	Inhalation	No data available	No data available	100 mg/m <sup>3</sup>	100 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2,4-trimethylbenzene</b>	Inhalation	No data available	No data available	100 mg/m <sup>3</sup>	100 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,3-dichlorobenzene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,4-dichlorobenzene</b>	Inhalation	No data available	No data available	No data available	46.1 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b><math>\alpha</math>-chlorotoluene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2-dichlorobenzene</b>	Inhalation	No data available	No data available	No data available	4.2 mg/m <sup>3</sup>
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>1,2,4-trichlorobenzene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available
<b>Hexachlorobuta-1,3-diene</b>	Inhalation	No data available	No data available	No data available	No data available
	Oral	No data available	No data available	No data available	No data available
	Dermal	No data available	No data available	No data available	No data available

◆ Predicted No Effect Concentration (PNEC)

Component	A	B	C	D	E	F	G	H
<b>Methanol</b>	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No potential for bioaccumulation
<b>1,1-dichloroethylene</b>	9.12 $\mu$ g/L	912 ng/L	2 g/L	80 $\mu$ g/kg sediment dw	8 $\mu$ g/kg sediment dw	No hazard identified	No data available	6 mg/kg food
<b>3-chloropropene</b>	1.2 $\mu$ g/L	120 ng/L	120 mg/L	9.96 $\mu$ g/kg sediment dw	996 ng/kg sediment dw	No data available	1.32 $\mu$ g/kg soil dw	No potential for bioaccumulation

<b>Dichloromethane</b>	130 - 310 µg/L	31 - 130 µg/L	26 mg/L	163 - 2570 µg/kg sediment dw	163 - 260 µg/kg sediment dw	No hazard identified	173 - 330 µg/kg soil dw	No potential for bioaccumulation
<b>Chloroform</b>	146 µg/L	15 µg/L	48 µg/L	450 µg/kg sediment dw	90 µg/kg sediment dw	No hazard identified	560 µg/kg soil dw	No potential for bioaccumulation
<b>1,1,1-trichloroethane</b>	130 µg/L	13 µg/L	No data available	No data available	No data available	No data available	No data available	No potential for bioaccumulation
<b>Carbon tetrachloride</b>	220 µg/L	22 µg/L	30 mg/L	No data available	No data available	No hazard identified	No data available	222 µg/kg food
<b>1,2-dichloroethane</b>	1.1 mg/L	110 µg/L	27.8 mg/L	11.1 mg/kg sediment dw	1.11 mg/kg sediment dw	3.4 µg/m <sup>3</sup>	1.8 mg/kg soil dw	8.33 mg/kg food
<b>Benzene</b>	80 µg/L	8 µg/L	39 mg/L	1.36 mg/kg sediment dw	136 µg/kg sediment dw	No data available	225 µg/kg soil dw	No potential for bioaccumulation
<b>Trichloroethylene</b>	115 - 576 µg/L	11.5 µg/L	2.6 mg/L	316 - 10200 µg/kg sediment dw	204 µg/kg sediment dw	No hazard identified	155 - 1700 µg/kg soil dw	13.83 mg/kg food
<b>1,2-dichloropropane</b>	82 - 400 µg/L	8.2 - 40 µg/L	590 - 8600 µg/L	676 - 4150 µg/kg sediment dw	67.6 - 415 µg/kg sediment dw	No hazard identified	87.9 - 600 µg/kg soil dw	No potential for bioaccumulation
<b>Toluene</b>	74 - 680 µg/L	7.4 - 680 µg/L	840 - 13610 µg/L	1.78 - 16.39 mg/kg sediment dw	178 - 16390 µg/kg sediment dw	No hazard identified	313 - 2890 µg/kg soil dw	No potential for bioaccumulation
<b>Tetrachloroethylene</b>	51 µg/L	5.1 µg/L	11.2 mg/L	903 µg/kg sediment dw	90.3 µg/kg sediment dw	8.2 µg/m <sup>3</sup>	10 µg/kg soil dw	No potential for bioaccumulation
<b>Chlorobenzene</b>	8.4 - 250 µg/L	840 - 25000 ng/L	1.4 mg/L	227 - 6750 µg/kg sediment dw	22.7 - 670 µg/kg sediment dw	No hazard identified	40.3 - 1000 µg/kg soil dw	10 mg/kg food
<b>Ethylbenzene</b>	100 µg/L	10 - 100 µg/L	9.6 mg/L	13.7 mg/kg sediment dw	1.37 mg/kg sediment dw	No hazard identified	2.68 mg/kg soil dw	20 mg/kg food
<b>m-xylene</b>	44 µg/L	4.4 µg/L	1.6 mg/L	2.52 mg/kg sediment dw	252 µg/kg sediment dw	No hazard identified	852 µg/kg soil dw	No potential for bioaccumulation

<b>p-xylene</b>	44 µg/L	4.4 µg/L	1.6 mg/L	2.52 mg/kg sediment dw	252 µg/kg sediment dw	No hazard identified	852 µg/kg soil dw	No potential for bioaccumulation
<b>o-xylene</b>	8.8 - 250 µg/L	880 - 250000 ng/L	1.6 - 5 mg/L	500 - 14330 µg/kg sediment dw	50 - 14330 µg/kg sediment dw	No hazard identified	95 - 2410 µg/kg soil dw	No potential for bioaccumulation
<b>Styrene</b>	28 - 40 µg/L	14 - 40 µg/L	5 mg/L	418 - 614 µg/kg sediment dw	307 - 418 µg/kg sediment dw	No hazard identified	146 - 200 µg/kg soil dw	No potential for bioaccumulation
<b>Mesitylene</b>	101 µg/L	101 µg/L	2.02 mg/L	7.86 mg/kg sediment dw	7.86 mg/kg sediment dw	No data available	1.34 mg/kg soil dw	No potential for bioaccumulation
<b>1,2,4-trimethylbenzene</b>	120 µg/L	120 µg/L	2.41 mg/L	13.56 mg/kg sediment dw	13.56 mg/kg sediment dw	No data available	2.34 mg/kg soil dw	No data available
<b>1,4-dichlorobenzene</b>	20 µg/L	2 µg/L	8.6 mg/L	980 µg/kg sediment dw	98 µg/kg sediment dw	No data available	108 µg/kg soil dw	10 mg/kg food
<b>1,2-dichlorobenzene</b>	3.7 µg/L	370 ng/L	4.7 mg/L	177 µg/kg sediment dw	17.7 µg/kg sediment dw	No hazard identified	33.3 µg/kg soil dw	5.56 mg/kg food

**Note 1:**

A: Freshwater; B: Seawater; C: Sewage treatment plant; D: Sediment (freshwater); E: Sediment (seawater); F: Air; G: Soil; H: Secondary poisoning(Hazard for Predators).

**Note 2:**

The PNEC values of the remaining components not shown in the product are not available yet.

## 8.2 Exposure controls

### 8.2.1 Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

### 8.2.2 Personal protection equipment

<b>General requirement</b>	
<b>Eye protection</b>	Must wear appropriate safety goggles.
<b>Hand protection</b>	Must wear anti static chemical protective gloves.
<b>Respiratory protection</b>	Must wear appropriate personal dust proof gas mask.
<b>Skin and body protection</b>	Must wear anti static chemical protective clothing and anti static shoes.

### 8.2.3 Environmental exposure controls

Environmental exposure controls	No information available
---------------------------------	--------------------------

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Colorless to light yellow liquid
Colour	Colorless to light yellow liquid
Odor	No information available
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	-98 ( Methanol )
Initial boiling point and boiling range(°C)	65 ( Methanol )
Flash point(Closed cup, °C)	9 ( Methanol )
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[% (v/v)]	Upper limit : 50 ( Methanol ) ; Lower limit : 6 ( Methanol )
Vapor pressure	12.9 kPa ( 20°C, Methanol )
Vapor density(Air = 1)	1.1 ( Methanol )
Relative density(Water=1)	0.79 ( 20°C, Methanol )
Solubility	Miscible with water ( Methanol )
n-octanol/water partition coefficient	-0.74 ( Methanol )
Auto-ignition temperature(°C)	440 ( Methanol )
Decomposition temperature(°C)	No information available
Kinematic viscosity	0.544 mPa ( 25°C, Methanol )
Explosive properties	No information available
Oxidizing properties	No information available
Particle characteristics	Not applicable

### 9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

Information with regard to physical hazard classes	No information available
----------------------------------------------------	--------------------------

#### 9.2.2 Other safety characteristics

Other safety characteristics	No information available
------------------------------	--------------------------

## 10 Stability and reactivity

### Stability and reactivity

10.1 Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
10.2 Chemical stability	Stable under proper operation and storage conditions.
10.3 Possibility of hazardous	In contact with oxidants causes severe reactions, and may cause a fire or

<b>reactions</b>	explosion. Reactions with metals form metal organic compounds. In contact with metals, oxidants, triethyl aluminium, amines, boranes and their derivatives may cause an explosion severely. In contact with halides may cause an active reaction.
<b>10.4 Conditions to avoid</b>	Incompatible materials, heat, flame and spark.
<b>10.5 Incompatible materials</b>	Oxidants, alkali metals, alkaline earth metals and aluminum. Metal, oxidants and alkali. Borane class and its derivatives, amines, metals, oxidants, triethyl aluminium, calcium and ethylene. Halides, oxidants and halogen.
<b>10.6 Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11 Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 with amendment 2023/707

35 kinds of VOCs in Methanol	
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met
<b>Serious eye damage/irritation</b>	Based on available data, the classification criteria are not met
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met
<b>STOT-single exposure</b>	Causes damage to organs(Category 1)
<b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met
<b>Germ cell mutagenicity</b>	May cause genetic defects(Category 1B)

### Acute toxicity

Component	LD <sub>50</sub> (oral)	LD <sub>50</sub> (dermal)	LC <sub>50</sub> (inhalation,4h)
<b>1,2,4-trichlorobenzene</b>	756mg/kg(Rat)	6139mg/kg(Rat)	No information available
<b>Ethylbenzene</b>	3500mg/kg(Rat)	15400mg/kg(Rabbit)	No information available
<b>m-xylene</b>	5000mg/kg(Rat)	12200mg/kg(Rabbit)	No information available
<b>Hexachlorobuta-1,3-diene</b>	82mg/kg(Rat)	100mg/kg(Rabbit)	No information available
<b>1,1-dichloroethylene</b>	200mg/kg(Rat)	No information available	25.177mg/L(Rat)
<b>Benzene</b>	930mg/kg(Rat)	> 8260mg/kg(Rabbit)	No information available
<b>Toluene</b>	636mg/kg(Rat)	12200mg/kg(Rabbit)	49mg/L(Rat)
<b>1,2,4-trimethylbenzene</b>	5000mg/kg(Rat)	No information available	18mg/L(Rat)
<b>α-chlorotoluene</b>	1231mg/kg(Rat)	No information available	No information available
<b>1,1,2-trichlorotrifluoroethane</b>	43000mg/kg(Rat)	No information available	295.056mg/L(Rat)
<b>p-xylene</b>	5000mg/kg(Rat)	No information available	19.758mg/L(Rat)
<b>4-ethyltoluene</b>	4850mg/kg(Rat)	No information available	No information available
<b>Mesitylene</b>	No information available	No information available	24mg/L(Rat)
<b>1,1,2-trichloroethane</b>	836mg/kg(Rat)	5350mg/kg(Rabbit)	No information available
<b>Dichloromethane</b>	1600mg/kg(Rat)	No information available	No information available

<b>1,1,2,2-tetrachloroethane</b>	200mg/kg(Rat)	No information available	No information available
<b>1,2-dichloropropane</b>	1947mg/kg(Rat)	10100mg/kg(Rabbit)	No information available
<b>Carbon tetrachloride</b>	2350mg/kg(Rat)	> 20000mg/kg(Rabbit)	50.330mg/L(Rat)
<b>1,2-dibromoethane</b>	108mg/kg(Rat)	300mg/kg(Rabbit)	No information available
<b>1,2-dichloroethane</b>	670mg/kg(Rat)	2800mg/kg(Rabbit)	No information available
<b>Chloroform</b>	695mg/kg(Rat)	> 20000mg/kg(Rabbit)	47.702mg/L(Rat)
<b>Trichloroethylene</b>	4920mg/kg(Rat)	> 20000mg/kg(Rabbit)	45.409mg/L(Mouse)
<b>1,1-dichloroethane</b>	725mg/kg(Rat)	No information available	52.617mg/L(Rat)
<b>Tetrachloroethylene</b>	2629mg/kg(Rat)	No information available	35.269mg/L(Mouse)
<b>Methanol</b>	5628mg/kg(Rat)	15800mg/kg(Rabbit)	83.867mg/L(Rat)
<b>1,1,1-trichloroethane</b>	9600mg/kg(Rat)	No information available	98.209mg/L(Rat)
<b>Styrene</b>	2650mg/kg(Rat)	No information available	12mg/L(Rat)
<b>3-chloropropene</b>	460mg/kg(Rat)	2066mg/kg(Rabbit)	5.5mg/L(Rat)
<b>1,2-dichlorobenzene</b>	500mg/kg(Rat)	> 10000mg/kg(Rabbit)	No information available
<b>Chlorobenzene</b>	1110mg/kg(Rat)	No information available	No information available
<b>1,4-dichlorobenzene</b>	500~5000mg/kg(Rat)	> 2000mg/kg(Rabbit)	No information available

### | Carcinogenicity

<b>Component</b>	<b>List of carcinogens by the IARC Monographs</b>	<b>Report on Carcinogens by NTP</b>
<b>Methanol</b>	Not Listed	Not Listed
<b>1,1-dichloroethylene</b>	Category 2B	Not Listed
<b>1,1,2-trichlorotrifluoroethane</b>	Not Listed	Not Listed
<b>3-chloropropene</b>	Category 3	Not Listed
<b>Dichloromethane</b>	Category 2A	Category R
<b>1,1-dichloroethane</b>	Not Listed	Not Listed
<b>cis-dichloroethylene</b>	Not Listed	Not Listed
<b>Chloroform</b>	Category 2B	Category R
<b>1,1,1-trichloroethane</b>	Category 2A	Not Listed
<b>Carbon tetrachloride</b>	Category 2B	Category R
<b>1,2-dichloroethane</b>	Category 2B	Category R
<b>Benzene</b>	Category 1	Category K
<b>Trichloroethylene</b>	Category 1	Category K
<b>1,2-dichloropropane</b>	Category 1	Not Listed
<b>(Z)-1,3-Dichloro-1-propene</b>	Not Listed	Not Listed
<b>Toluene</b>	Category 3	Not Listed
<b>trans-1,3-Dichloropropene</b>	Not Listed	Not Listed

<b>1,1,2-trichloroethane</b>	Category 3	Not Listed
<b>Tetrachloroethylene</b>	Category 2A	Category R
<b>1,2-dibromoethane</b>	Category 2A(Remark 1)	Category R
<b>Chlorobenzene</b>	Not Listed	Not Listed
<b>Ethylbenzene</b>	Category 2B	Not Listed
<b>m-xylene</b>	Not Listed	Not Listed
<b>p-xylene</b>	Not Listed	Not Listed
<b>o-xylene</b>	Not Listed	Not Listed
<b>Styrene</b>	Category 2A	Category R
<b>1,1,2,2-tetrachloroethane</b>	Category 2B	Not Listed
<b>4-ethyltoluene</b>	Not Listed	Not Listed
<b>Mesitylene</b>	Not Listed	Not Listed
<b>1,2,4-trimethylbenzene</b>	Not Listed	Not Listed
<b>1,3-dichlorobenzene</b>	Category 3	Not Listed
<b>1,4-dichlorobenzene</b>	Category 2B	Category R
<b><math>\alpha</math>-chlorotoluene</b>	Category 2A(Remark 2)	Not Listed
<b>1,2-dichlorobenzene</b>	Category 3	Not Listed
<b>1,2,4-trichlorobenzene</b>	Not Listed	Not Listed
<b>Hexachlorobuta-1,3-diene</b>	Category 3	Not Listed

Remark 1: Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data; Remark 2: combined exposures with benzoyl chloride

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

<b>Component</b>	<b>Endocrine disrupting properties</b>
<b>Methanol</b>	No information available
<b>1,1-dichloroethylene</b>	No information available
<b>1,1,2-trichlorotrifluoroethane</b>	No information available
<b>3-chloropropene</b>	No information available
<b>Dichloromethane</b>	No information available
<b>1,1-dichloroethane</b>	No information available
<b>cis-dichloroethylene</b>	No information available
<b>Chloroform</b>	No information available
<b>1,1,1-trichloroethane</b>	No information available
<b>Carbon tetrachloride</b>	No information available
<b>1,2-dichloroethane</b>	No information available
<b>Benzene</b>	No information available
<b>Trichloroethylene</b>	No information available

1,2-dichloropropane	No information available
(Z)-1,3-Dichloro-1-propene	No information available
Toluene	No information available
trans-1,3-Dichloropropene	No information available
1,1,2-trichloroethane	No information available
Tetrachloroethylene	No information available
1,2-dibromoethane	No information available
Chlorobenzene	No information available
Ethylbenzene	No information available
m-xylene	No information available
p-xylene	No information available
o-xylene	No information available
Styrene	No information available
1,1,2,2-tetrachloroethane	No information available
4-ethyltoluene	No information available
Mesitylene	No information available
1,2,4-trimethylbenzene	No information available
1,3-dichlorobenzene	No information available
1,4-dichlorobenzene	No information available
$\alpha$ -chlorotoluene	No information available
1,2-dichlorobenzene	No information available
1,2,4-trichlorobenzene	No information available
Hexachlorobuta-1,3-diene	No information available

### 11.2.2 Other Information

Other Information	See Section 11.1
-------------------	------------------

## 12 Ecological information

### 12.1 Toxicity

#### Acute aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
1,2,4-trichlorobenzene	LC <sub>50</sub> : 2.4mg/L (96h)(Fish)	EC <sub>50</sub> : 2.05mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 5.7mg/L (72h)(Algae)
m-xylene	LC <sub>50</sub> : 10.6mg/L (96h)(Fish)	EC <sub>50</sub> : 2.4mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 8.9mg/L (72h)(Algae)
Ethylbenzene	LC <sub>50</sub> : 4.2mg/L (96h)(Fish)	EC <sub>50</sub> : 4.75mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 3.6mg/L (96h)(Algae)
Hexachlorobuta-1,3-diene	LC <sub>50</sub> : 0.32mg/L (96h)(Fish)	No information available	No information available
1,1-dichloroethylene	LC <sub>50</sub> : 45mg/L (96h)(Fish)	EC <sub>50</sub> : 16mg/L	ErC <sub>50</sub> : 410mg/L

		(48h)(Crustaceans)	(96h)(Algae)
<b>Benzene</b>	LC <sub>50</sub> : 21.6mg/L (96h)(Fish)	EC <sub>50</sub> : 10.9mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 1600mg/L (96h)(Algae)
<b>1,2,4-trimethylbenzene</b>	LC <sub>50</sub> : 7.72mg/L (96h)(Fish)	No information available	No information available
<b>Toluene</b>	LC <sub>50</sub> : 25mg/L (96h)(Fish)	EC <sub>50</sub> : 4.1mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 29mg/L (72h)(Algae)
<b>α-chlorotoluene</b>	LC <sub>50</sub> : 4mg/L (96h)(Fish)	No information available	No information available
<b>1,1,2-trichlorotrifluoroethane</b>	LC <sub>50</sub> : 19mg/L (96h)(Fish)	EC <sub>50</sub> : 4.3mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : >4.1mg/L (72h)(Algae)
<b>cis-dichloroethylene</b>	LC <sub>50</sub> : 67mg/L (96h)(Fish)	EC <sub>50</sub> : 40mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : >74mg/L (72h)(Algae)
<b>p-xylene</b>	LC <sub>50</sub> : 5.5mg/L (96h)(Fish)	EC <sub>50</sub> : 6.9mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 9.6mg/L (72h)(Algae)
<b>Mesitylene</b>	LC <sub>50</sub> : 12.52mg/L (96h)(Fish)	No information available	No information available
<b>1,3-dichlorobenzene</b>	LC <sub>50</sub> : 7.8mg/L (96h)(Fish)	EC <sub>50</sub> : 2.5mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 126mg/L (96h)(Algae)
<b>1,1,2-trichloroethane</b>	LC <sub>50</sub> : 40mg/L (96h)(Fish)	EC <sub>50</sub> : 79.5mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 200mg/L (96h)(Algae)
<b>Dichloromethane</b>	LC <sub>50</sub> : 193mg/L (96h)(Fish)	EC <sub>50</sub> : 1470mg/L (48h)(Crustaceans)	No information available
<b>1,1,2,2-tetrachloroethane</b>	LC <sub>50</sub> : 20.4mg/L (96h)(Fish)	EC <sub>50</sub> : 24mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 89mg/L (96h)(Algae)
<b>o-xylene</b>	LC <sub>50</sub> : 16.1mg/L (96h)(Fish)	EC <sub>50</sub> : 1.1mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 0.80mg/L (72h)(Algae)
<b>1,2-dichloropropane</b>	LC <sub>50</sub> : 160mg/L (96h)(Fish)	EC <sub>50</sub> : 30mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 83mg/L (96h)(Algae)
<b>Carbon tetrachloride</b>	LC <sub>50</sub> : 7.6mg/L (96h)(Fish)	EC <sub>50</sub> : 8.1mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 0.46mg/L (72h)(Algae)
<b>1,2-dibromoethane</b>	LC <sub>50</sub> : 1.13mg/L (96h)(Fish)	No information available	No information available
<b>1,2-dichloroethane</b>	LC <sub>50</sub> : 136mg/L (96h)(Fish)	EC <sub>50</sub> : 99mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 230mg/L (72h)(Algae)
<b>Chloroform</b>	LC <sub>50</sub> : > 110mg/L (96h)(Fish)	No information available	No information available
<b>Trichloroethylene</b>	LC <sub>50</sub> : 42.4mg/L (96h)(Fish)	EC <sub>50</sub> : 11mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 77mg/L (72h)(Algae)
<b>1,1-dichloroethane</b>	LC <sub>50</sub> : >110mg/L (96h)(Fish)	EC <sub>50</sub> : 34mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : >94mg/L (72h)(Algae)
<b>Tetrachloroethylene</b>	LC <sub>50</sub> : 14mg/L (96h)(Fish)	EC <sub>50</sub> : 1.3mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 27mg/L (72h)(Algae)
<b>Methanol</b>	LC <sub>50</sub> : 24000mg/L (96h)(Fish)	EC <sub>50</sub> : 24500mg/L (48h)(Crustaceans)	No information available
<b>1,1,1-trichloroethane</b>	LC <sub>50</sub> : 42.3mg/L (96h)(Fish)	EC <sub>50</sub> : 11.2mg/L (48h)(Crustaceans)	No information available
<b>Styrene</b>	LC <sub>50</sub> : 4.02mg/L (96h)(Fish)	EC <sub>50</sub> : 4.7mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 0.72mg/L (96h)(Algae)
<b>3-chloropropene</b>	LC <sub>50</sub> : 24mg/L (96h)(Fish)	No information available	No information available
<b>(Z)-1,3-Dichloro-1-propene</b>	LC <sub>50</sub> : 1.6mg/L (96h)(Fish)	No information available	No information available

<b>1,2-dichlorobenzene</b>	LC <sub>50</sub> : 6.66mg/L (96h)(Fish)	EC <sub>50</sub> : 0.7mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 71.1mg/L (96h)(Algae)
<b>Chlorobenzene</b>	LC <sub>50</sub> : 6.6mg/L (96h)(Fish)	EC <sub>50</sub> : 5.29mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 202mg/L (96h)(Algae)
<b>1,4-dichlorobenzene</b>	LC <sub>50</sub> : 2.2mg/L (96h)(Fish)	EC <sub>50</sub> : 2.5mg/L (48h)(Crustaceans)	ErC <sub>50</sub> : 5.4mg/L (72h)(Algae)

### Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae or other aquatic plants
<b>1,2,4-trichlorobenzene</b>	NOEC : 0.04mg/L(Fish)	NOEC : 0.10mg/L(Crustaceans)	NOEC : 2.2mg/L(Algae)
<b>m-xylene</b>	No information available	NOEC : 0.41mg/L(Crustaceans)	NOEC : 5.3mg/L(Algae)
<b>1,2-dichloroethane</b>	NOEC : 41mg/L(Fish)	NOEC : 1.0mg/L(Crustaceans)	NOEC : 55mg/L(Algae)
<b>Trichloroethylene</b>	NOEC : 5.76mg/L(Fish)	NOEC : 2.1mg/L(Crustaceans)	NOEC : 45mg/L(Algae)
<b>Toluene</b>	No information available	NOEC : 1.2mg/L(Crustaceans)	NOEC : 9.1mg/L(Algae)
<b>1,1-dichloroethane</b>	No information available	NOEC : 0.53mg/L(Crustaceans)	NOEC : 94mg/L(Algae)
<b>1,1,2-trichlorotrifluoroethane</b>	No information available	NOEC : 1.2mg/L(Crustaceans)	No information available
<b>Tetrachloroethylene</b>	NOEC : 1.9mg/L(Fish)	NOEC : 0.023mg/L(Crustaceans)	NOEC : 9.1mg/L(Algae)
<b>cis-dichloroethylene</b>	No information available	NOEC : 4.5mg/L(Crustaceans)	NOEC : 74mg/L(Algae)
<b>p-xylene</b>	No information available	NOEC : 1.3mg/L(Crustaceans)	NOEC : 4.4mg/L(Algae)
<b>1,3-dichlorobenzene</b>	NOEC : 0.7mg/L(Fish)	NOEC : <0.10mg/L(Crustaceans)	NOEC : 2.2mg/L(Algae)
<b>1,2-dichlorobenzene</b>	NOEC : 0.8mg/L(Fish)	NOEC : <0.10mg/L(Crustaceans)	NOEC : 2.6mg/L(Algae)
<b>Chlorobenzene</b>	No information available	NOEC : 0.72mg/L(Crustaceans)	No information available
<b>o-xylene</b>	No information available	NOEC : 0.63mg/L(Crustaceans)	NOEC : 0.73mg/L(Algae)
<b>1,4-dichlorobenzene</b>	NOEC : 0.9mg/L(Fish)	NOEC : 0.10mg/L(Crustaceans)	NOEC : 0.83mg/L(Algae)
<b>1,2-dichloropropane</b>	NOEC : 6~11mg/L(Fish)	NOEC : 0.96mg/L(Crustaceans)	NOEC : 11mg/L(Algae)
<b>Carbon tetrachloride</b>	No information available	NOEC : 0.49mg/L(Crustaceans)	NOEC : 0.12mg/L(Algae)

### 12.2 Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
<b>Methanol</b>	Low	Low
<b>1,1,2-trichlorotrifluoroethane</b>	High(Half-life = 720 days)	High(Half-life = 366666.67 days)

<b>cis-dichloroethylene</b>	High	High
<b>1,1,1-trichloroethane</b>	High(Half-life = 546 days)	High(Half-life = 2247.04 days)
<b>1,1,2-trichloroethane</b>	High(Half-life = 730 days)	Medium(Half-life = 81.5 days)
<b>Tetrachloroethylene</b>	High(Half-life = 720 days)	Medium(Half-life = 160.13 days)
<b>m-xylene</b>	High(Half-life = 360 days)	Low(Half-life = 1.08 days)
<b>p-xylene</b>	High(Half-life = 360 days)	Low(Half-life = 1.75 days)
<b>o-xylene</b>	High(Half-life = 360 days)	Low(Half-life = 1.83 days)
<b>4-ethyltoluene</b>	High	High
<b>1,2,4-trimethylbenzene</b>	Low(Half-life = 56 days)	Low(Half-life = 0.67 days)
<b>1,3-dichlorobenzene</b>	High(Half-life = 360 days)	Low(Half-life = 37.13 days)
<b>1,2-dichlorobenzene</b>	High(Half-life = 360 days)	Medium(Half-life = 63.67 days)
<b>1,2,4-trichlorobenzene</b>	High(Half-life = 360 days)	Low(Half-life = 53.5 days)

### 12.3 Bioaccumulative potential

Component	Bioaccumulative potential	Comments
<b>Methanol</b>	Low	BCF=10
<b>1,1,2-trichlorotrifluoroethane</b>	Low	Log Kow=3.30
<b>cis-dichloroethylene</b>	Low	Log Kow=1.9808
<b>1,1,1-trichloroethane</b>	Low	BCF=9
<b>trans-1,3-Dichloropropene</b>	Low	Log Kow=2.03
<b>1,1,2-trichloroethane</b>	Low	BCF=17
<b>Tetrachloroethylene</b>	Low	BCF=77.1
<b>m-xylene</b>	Low	BCF=1.37
<b>p-xylene</b>	Low	BCF=2.2
<b>o-xylene</b>	Low	BCF=219
<b>4-ethyltoluene</b>	Low	Log Kow=3.63
<b>1,2,4-trimethylbenzene</b>	Low	BCF=275
<b>1,3-dichlorobenzene</b>	High	BCF=6918
<b>1,2-dichlorobenzene</b>	Low	BCF=260
<b>1,2,4-trichlorobenzene</b>	High	BCF=4420

### 12.4 Mobility in soil

Component	log Koc	Remark
<b>Methanol</b>	0.000	
<b>1,1-dichloroethylene</b>	1.72	20 °C
<b>1,1,2-trichlorotrifluoroethane</b>	2.352	
<b>3-chloropropene</b>	1.67	

Dichloromethane	1.67	20 °C
cis-dichloroethylene	1.641	
Chloroform	2.27	20 °C
1,1,1-trichloroethane	0.34	20 °C
Carbon tetrachloride	2.06	20 °C
Benzene	2.13	20 °C
Trichloroethylene	2.15	
1,2-dichloropropane	1.67	
Toluene	2.31	20 °C
trans-1,3-Dichloropropene	0.279	
1,1,2-trichloroethane	1.831	
Tetrachloroethylene	2.15	20 °C
Chlorobenzene	2.369	MCI method
Ethylbenzene	3.12	20 °C
m-xylene	2.73	20 °C
p-xylene	2.73	20 °C
o-xylene	2.73	20 °C
Styrene	2.55	
4-ethyltoluene	2.924	
Mesitylene	2.87	
1,2,4-trimethylbenzene	3.04	20 °C
1,3-dichlorobenzene	2.5	
1,2-dichlorobenzene	2.65	20 °C
1,2,4-trichlorobenzene	2.856	

## 12.5 Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Methanol	Not PBT/vPvB
1,1-dichloroethylene	Not PBT/vPvB
1,1,2-trichlorotrifluoroethane	Insufficient information, temporarily unable to evaluate
3-chloropropene	Insufficient information, temporarily unable to evaluate
Dichloromethane	Not PBT/vPvB
1,1-dichloroethane	Insufficient information, temporarily unable to evaluate
cis-dichloroethylene	Insufficient information, temporarily unable to evaluate
Chloroform	Not PBT/vPvB
1,1,1-trichloroethane	Insufficient information, temporarily unable to evaluate
Carbon tetrachloride	Not PBT/vPvB

1,2-dichloroethane	Not PBT/vPvB
Benzene	Not PBT/vPvB
Trichloroethylene	Not PBT/vPvB
1,2-dichloropropane	Not PBT/vPvB
(Z)-1,3-Dichloro-1-propene	Insufficient information, temporarily unable to evaluate
Toluene	Not PBT/vPvB
trans-1,3-Dichloropropene	Insufficient information, temporarily unable to evaluate
1,1,2-trichloroethane	Insufficient information, temporarily unable to evaluate
Tetrachloroethylene	Not PBT/vPvB
1,2-dibromoethane	Not PBT/vPvB
Chlorobenzene	Not PBT/vPvB
Ethylbenzene	Not PBT/vPvB
m-xylene	Not PBT/vPvB
p-xylene	Not PBT/vPvB
o-xylene	Not PBT/vPvB
Styrene	Not PBT/vPvB
1,1,2,2-tetrachloroethane	Insufficient information, temporarily unable to evaluate
4-ethyltoluene	Insufficient information, temporarily unable to evaluate
Mesitylene	Not PBT/vPvB
1,2,4-trimethylbenzene	Not PBT/vPvB
1,3-dichlorobenzene	Not PBT/vPvB
1,4-dichlorobenzene	Not PBT/vPvB
α-chlorotoluene	Insufficient information, temporarily unable to evaluate
1,2-dichlorobenzene	Not PBT/vPvB
1,2,4-trichlorobenzene	Insufficient information, temporarily unable to evaluate
Hexachlorobuta-1,3-diene	Insufficient information, temporarily unable to evaluate

## 12.6 Endocrine disrupting properties

Component	Endocrine disrupting properties
Methanol	No information available
1,1-dichloroethylene	No information available
1,1,2-trichlorotrifluoroethane	No information available
3-chloropropene	No information available
Dichloromethane	No information available
1,1-dichloroethane	No information available
cis-dichloroethylene	No information available
Chloroform	No information available

1,1,1-trichloroethane	No information available
Carbon tetrachloride	No information available
1,2-dichloroethane	No information available
Benzene	No information available
Trichloroethylene	No information available
1,2-dichloropropane	No information available
(Z)-1,3-Dichloro-1-propene	No information available
Toluene	No information available
trans-1,3-Dichloropropane	No information available
1,1,2-trichloroethane	No information available
Tetrachloroethylene	No information available
1,2-dibromoethane	No information available
Chlorobenzene	No information available
Ethylbenzene	No information available
m-xylene	No information available
p-xylene	No information available
o-xylene	No information available
Styrene	No information available
1,1,2,2-tetrachloroethane	No information available
4-ethyltoluene	No information available
Mesitylene	No information available
1,2,4-trimethylbenzene	No information available
1,3-dichlorobenzene	No information available
1,4-dichlorobenzene	No information available
$\alpha$ -chlorotoluene	No information available
1,2-dichlorobenzene	No information available
1,2,4-trichlorobenzene	No information available
Hexachlorobuta-1,3-diene	No information available

### 12.7 Other adverse effects

	No information available
--	--------------------------

## 13 Disposal considerations

### 13.1 Waste treatment methods

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

## 14 Transport information

### Label and Mark

Transporting Label	
--------------------	-----------------------------------------------------------------------------------

### IMDG-CODE

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

### IATA-DGR

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

### UN-ADR

14.1 UN number	1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class	3
14.4 Packing group	II
14.5 Environmental hazards (Yes or no)	No

### Special precautions for user

	<p>Shipment of the goods vehicle exhaust pipe must be equipped with fire retardant devices, prohibit using mechanical equipment and tools of which easy to produce sparks. Transit should be anti-exposure, anti-rain, anti-high temperature.</p> <p>Transportation used tank (tank) cars should be grounded chain, tank can be installed to reduce the partition hole static electricity shocks. Strictly prohibited shipping or transportation with oxidants, acids, food and food additives etc. When bulk transport, Prohibit the use of cement or wooden boats. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.</p>
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Maritime transport in bulk according to IMO instruments

- ◆ Transport in bulk according to Annex II of MARPOL and the IBC code

	Not Available
--	---------------

- ◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

◆ Transport in bulk in accordance with the IGC Code

Not Available

## 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International chemical inventory

Component	A	B	C	D	E	F	G	H	I	J	K	L	M
Methanol	√	√	√	√	√	√	√	√	√	√	√	√	√
1,1-dichloroethylene	√	√	√	√	√	√	√	√	√	√	√	√	√
1,1,2-trichlorotrifluoroethane	√	√	√	√	√	√	√	√	√	×	√	√	√
3-chloropropene	√	√	√	√	√	√	√	√	√	√	√	√	√
Dichloromethane	√	√	√	√	√	√	√	√	√	√	√	√	√
1,1-dichloroethane	√	√	√	×	√	√	√	√	√	√	√	√	√
cis-dichloroethylene	√	√	√	×	√	×	√	√	√	×	×	√	√
Chloroform	√	√	√	√	√	√	√	√	√	√	√	√	√
1,1,1-trichloroethane	√	√	√	√	√	√	√	√	√	√	√	√	√
Carbon tetrachloride	√	√	√	√	√	√	√	√	√	√	√	√	√
1,2-dichloroethane	√	√	√	√	√	√	√	√	√	√	√	√	√
Benzene	√	√	√	√	√	√	√	√	√	√	√	√	√
Trichloroethylene	√	√	√	√	√	√	√	√	√	√	√	√	√
1,2-dichloropropane	√	√	√	√	√	√	√	√	√	√	√	√	√
(Z)-1,3-Dichloro-1-propene	×	√	×	×	×	×	×	×	√	×	×	√	√
Toluene	√	√	√	√	√	√	√	√	√	√	√	√	√
trans-1,3-Dichloropropene	√	×	√	×	×	×	√	×	√	×	×	√	√
1,1,2-trichloroethane	√	√	√	√	√	√	√	√	√	√	√	√	√
Tetrachloroethylene	√	√	√	√	√	√	√	√	√	√	√	√	√
1,2-dibromoethane	√	√	√	√	√	√	√	√	√	×	√	√	√
Chlorobenzene	√	√	√	√	√	√	√	√	√	√	√	√	√
Ethylbenzene	√	√	√	√	√	√	√	√	√	√	√	√	√
m-xylene	√	√	√	√	√	√	√	√	√	√	√	√	√
p-xylene	√	√	√	√	√	√	√	√	√	√	√	√	√
o-xylene	√	√	√	√	√	√	√	√	√	√	√	√	√
Styrene	√	√	√	√	√	√	√	√	√	√	√	√	√
1,1,2,2-tetrachloroethane	√	√	√	√	√	√	√	√	√	√	√	√	√
4-ethyltoluene	√	√	√	×	√	√	×	√	√	√	×	√	√
Mesitylene	√	√	√	√	√	√	√	√	√	√	√	√	√

<b>1,2,4-trimethylbenzene</b>	√	√	√	√	√	√	√	√	√	√	√	√	√
<b>1,3-dichlorobenzene</b>	√	√	√	√	√	√	√	√	√	√	×	√	√
<b>1,4-dichlorobenzene</b>	√	√	√	√	√	√	√	√	√	√	√	√	√
<b>α-chlorotoluene</b>	√	√	√	√	√	√	√	√	√	√	√	√	√
<b>1,2-dichlorobenzene</b>	√	√	√	√	√	√	√	√	√	√	√	√	√
<b>1,2,4-trichlorobenzene</b>	√	√	√	√	√	√	√	√	√	√	√	√	√
<b>Hexachlorobuta-1,3-diene</b>	√	√	√	√	×	√	√	√	√	√	×	√	√

- 【A】 China Inventory of Existing Chemical Substances(IECSC)  
 【B】 European Inventory of Existing Commercial Chemical Substances(EC inventory)  
 【C】 United States Toxic Substances Control Act Inventory(TSCA)  
 【D】 Canadian Domestic Substances List(DSL)  
 【E】 New Zealand Inventory of Chemicals(NZIoC)  
 【F】 Philippines Inventory of Chemicals and Chemical Substances(PICCS)  
 【G】 Korea Existing Chemicals Inventory(KECL)  
 【H】 Australian. Inventory of Industrial Chemical (AIICS)  
 【I】 Japan Inventory of Existing & New Chemical Substances(ENCS)  
 【J】 Thailand Existing Chemicals Inventory(TECI)  
 【K】 Mexico National Inventory of Chemical Substances (INSQ)  
 【L】 Russia Inventory of Existing Substances(DRAFT)  
 【M】 Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

### List of Chemical Substances under International Conventions

Component	A	B	C
<b>Methanol</b>	×	×	×
<b>1,1-dichloroethylene</b>	×	×	×
<b>1,1,2-trichlorotrifluoroethane</b>	√	×	×
<b>3-chloropropene</b>	×	×	×
<b>Dichloromethane</b>	×	×	×
<b>1,1-dichloroethane</b>	×	×	×
<b>cis-dichloroethylene</b>	×	×	×
<b>Chloroform</b>	×	×	×
<b>1,1,1-trichloroethane</b>	√	×	×
<b>Carbon tetrachloride</b>	√	×	×
<b>1,2-dichloroethane</b>	×	×	√
<b>Benzene</b>	×	×	×
<b>Trichloroethylene</b>	×	×	×
<b>1,2-dichloropropane</b>	×	×	×
<b>(Z)-1,3-Dichloro-1-propene</b>	×	×	×
<b>Toluene</b>	×	×	×
<b>trans-1,3-Dichloropropene</b>	×	×	×
<b>1,1,2-trichloroethane</b>	×	×	×
<b>Tetrachloroethylene</b>	×	×	×

1,2-dibromoethane	x	x	√
Chlorobenzene	x	x	x
Ethylbenzene	x	x	x
m-xylene	x	x	x
p-xylene	x	x	x
o-xylene	x	x	x
Styrene	x	x	x
1,1,2,2-tetrachloroethane	x	x	x
4-ethyltoluene	x	x	x
Mesitylene	x	x	x
1,2,4-trimethylbenzene	x	x	x
1,3-dichlorobenzene	x	x	x
1,4-dichlorobenzene	x	x	x
α-chlorotoluene	x	x	x
1,2-dichlorobenzene	x	x	x
1,2,4-trichlorobenzene	x	x	x
Hexachlorobuta-1,3-diene	x	√	x

[A] The Montreal Protocol on Substances that Deplete the Ozone Layer

[B] Stockholm Convention on Persistent Organic Pollutants (POPs)

[C] Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

### European chemical inventory

Component	A	B	C	D	E	F	G	H	I
Methanol	x	x	√	√	√	√	x	x	x
1,1-dichloroethy- lene	x	x	√	√	√	x	x	x	x
1,1,2-trichlorotrifu- oroethane	x	x	x	√	x	x	x	x	x
3-chloropropene	x	x	x	√	√	x	x	x	x
Dichloromethane	x	x	√	√	√	√	√	x	x
1,1-dichloroethane	x	x	x	√	x	x	x	x	x
cis-dichloroethy- lene	x	x	x	√	x	x	x	x	x
Chloroform	x	x	√	√	√	x	√	x	x
1,1,1-trichloroetha- ne	x	x	x	√	√	x	x	x	x
Carbon tetrachloride	x	x	x	√	√	√	x	x	x
1,2-dichloroethane	√	√	√	√	√	x	√	x	x
Benzene	x	x	√	√	√	x	√	x	x
Trichloroethylene	√	√	√	√	√	x	x	x	x
1,2-dichloropropan- e	x	x	√	√	√	x	x	x	x

(Z)-1,3-Dichloro-1-propene	x	x	x	√	√	x	x	x	x
Toluene	x	x	√	√	√	√	x	x	x
trans-1,3-Dichloro propene	x	x	x	x	√	x	x	x	x
1,1,2-trichloroethane	x	x	√	√	√	x	x	x	x
Tetrachloroethylene	x	x	x	√	√	√	x	x	x
1,2-dibromoethane	x	x	√	√	√	x	x	x	x
Chlorobenzene	x	x	x	√	√	x	x	x	x
Ethylbenzene	x	x	x	√	√	x	x	x	x
m-xylene	x	x	x	√	√	√	x	x	x
p-xylene	x	x	x	√	√	√	x	x	x
o-xylene	x	x	x	√	√	√	x	x	x
Styrene	x	x	x	√	√	x	x	x	x
1,1,2,2-tetrachloroethane	x	x	√	√	x	x	x	x	x
4-ethyltoluene	x	x	x	√	x	x	x	x	x
Mesitylene	x	x	x	√	√	x	x	x	x
1,2,4-trimethylbenzene	x	x	x	√	√	x	x	x	x
1,3-dichlorobenzene	x	x	x	√	√	x	x	x	x
1,4-dichlorobenzene	x	x	√	√	√	x	x	x	x
α-chlorotoluene	x	x	√	√	√	x	x	x	x
1,2-dichlorobenzene	x	x	x	√	√	√	x	x	x
1,2,4-trichlorobenzene	x	x	√	√	√	x	√	x	x
Hexachlorobuta-1,3-diene	x	x	x	√	x	x	√	x	√

[A] Candidate list of Substances of Very High Concern for authorization under EU REACH regulation

[B] Substances requiring authorisation under EU REACH regulation

[C] Substances restricted under EU REACH

[D] Pre-registered substances under EU REACH

[E] Registered substances under EU REACH

[F] Substance Evaluation – CoRAP under EU REACH

[G] List of priority substances under EU water policy ( Directive 2455/2001/EC )

[H] Substances subject to POPs Regulation

[I] Substances proposed as POPs

Note:

“√” Indicates that the substance included in the regulations.

“x” No data or not included in the regulations.

### German water hazard class(WGK)

Component	WGK	Remark
Methanol	WGK 2	
1,1-dichloroethylene	WGK 3	

<b>1,1,2-trichlorotrifluoroethane</b>	WGK 2	
<b>3-chloropropene</b>	WGK 2	
<b>Dichloromethane</b>	WGK 2	
<b>1,1-dichloroethane</b>	WGK 3	
<b>cis-dichloroethylene</b>	WGK 2	
<b>Chloroform</b>	WGK 3	
<b>1,1,1-trichloroethane</b>	WGK 3	
<b>Carbon tetrachloride</b>	WGK 3	
<b>1,2-dichloroethane</b>	WGK 3	
<b>Benzene</b>	WGK 3	
<b>Trichloroethylene</b>	WGK 3	
<b>1,2-dichloropropane</b>	WGK 3	
<b>(Z)-1,3-Dichloro-1-propene</b>	WGK 3	
<b>Toluene</b>	WGK 3	
<b>1,1,2-trichloroethane</b>	WGK 3	
<b>Tetrachloroethylene</b>	WGK 3	
<b>1,2-dibromoethane</b>	WGK 3	
<b>Chlorobenzene</b>	WGK 2	
<b>Ethylbenzene</b>	WGK 1	
<b>m-xylene</b>	WGK 2	
<b>p-xylene</b>	WGK 2	
<b>o-xylene</b>	WGK 2	
<b>Styrene</b>	WGK 2	
<b>1,1,2,2-tetrachloroethane</b>	WGK 3	
<b>1,2,4-trimethylbenzene</b>	WGK 2	
<b>1,3-dichlorobenzene</b>	WGK 2	
<b>1,4-dichlorobenzene</b>	WGK 2	
<b>α-chlorotoluene</b>	WGK 3	
<b>1,2-dichlorobenzene</b>	WGK 2	
<b>1,2,4-trichlorobenzene</b>	WGK 3	
<b>Hexachlorobuta-1,3-diene</b>	WGK 3	

- 【WGK 1】 slightly hazardous to water  
 【WGK 2】 obviously hazardous to water  
 【WGK 3】 highly hazardous to water  
 【nwg】 non-hazardous to water  
 【awg】 hazardous to water in general

### | German technical instructions on air quality control(TA LUFT)

Component	TA LUFT	Remark
<b>Methanol</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in	

	all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>1,1-dichloroethylene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>1,1,2-trichlorotrifluoroethane</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>3-chloropropene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>Dichloromethane</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>1,1-dichloroethane</b>	Chapter 5.2.5 Organic Substances. Class II. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow: 0,50 kg/hr or Mass conc.: 0,10 g/m <sup>3</sup> TECHNICAL INSTRUCTIONS ON AIR QUALITY CONTROL Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>cis-dichloroethylene</b>	Chapter 5.2.5 Organic Substances. Class II. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow: 0,50 kg/hr or Mass conc.: 0,10 g/m <sup>3</sup>	
<b>Chloroform</b>	Chapter 5.2.7.1.1 Carcinogenic SubstancesThe substance must be assigned to the class (I, II or III) whose substances have the nearest potency. We can not accomplish this evaluation due to insufficiency of data.Carcinogenic substances not mentioned by name and for which no information on potency is available should be assigned to Class I as a precautionary measure.	
<b>1,1,1-trichloroethane</b>	Chapter 5.2.5 Organic Substances. Class II. The following values are in	

	all not allowed to be exceeded in the exhaust gas:Mass flow: 0,50 kg/hr or Mass conc.: 0,10 g/m <sup>3</sup>	
<b>Carbon tetrachloride</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>1,2-dichloroethane</b>	Chapter 5.2.7.1.1 Carcinogenic substances. Class III. As minimum requirement, the following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:2,5 g/hr or Mass conc.:1 mg/m <sup>3</sup>	
<b>Benzene</b>	Chapter 5.2.7.1.1 Carcinogenic substances. Class II. As minimum requirement, the following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:1,5 g/hr or Mass conc.:0,5 mg/m <sup>3</sup>	
<b>Trichloroethylene</b>	Chapter 5.2.7.1.1 Carcinogenic substances. Class III. As minimum requirement, the following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:2,5 g/hr or Mass conc.:1 mg/m <sup>3</sup>	
<b>1,2-dichloropropane</b>	Chapter 5.2.7.1.1 Carcinogenic SubstancesThe substance must be assigned to the class (I, II or III) whose substances have the nearest potency. We can not accomplish this evaluation due to insufficiency of data.Carcinogenic substances not mentioned by name and for which no information on potency is available should be assigned to Class I as a precautionary measure.	
<b>(Z)-1,3-Dichloro-1-propene</b>	Chapter 5.2.7.1.1 Carcinogenic SubstancesThe substance must be assigned to the class (I, II or III) whose substances have the nearest potency. We can not accomplish this evaluation due to insufficiency of data.Carcinogenic substances not mentioned by name and for which no information on potency is available should be assigned to Class I as a precautionary measure.	
<b>Toluene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>1,1,2-trichloroethane</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>Tetrachloroethylene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or	

	Mass conc.:20 mg/m <sup>3</sup>	
<b>1,2-dibromoethane</b>	Chapter 5.2.7.1.1 Carcinogenic Substances The substance must be assigned to the class (I, II or III) whose substances have the nearest potency. We can not accomplish this evaluation due to insufficiency of data. Carcinogenic substances not mentioned by name and for which no information on potency is available should be assigned to Class I as a precautionary measure.	
<b>Ethylbenzene</b>	Chapter 5.2.5 Organic Substances. The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas: Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>m-xylene</b>	Chapter 5.2.5 Organic Substances. The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas: Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>p-xylene</b>	Chapter 5.2.5 Organic Substances. The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas: Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>o-xylene</b>	Chapter 5.2.5 Organic Substances. The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas: Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>Styrene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>1,1,2,2-tetrachloroethane</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas: Mass flow:0,10 kg/hr or	

	Mass conc.:20 mg/m <sup>3</sup>	
<b>4-ethyltoluene</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>Mesitylene</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>1,2,4-trimethylbenzene</b>	Chapter 5.2.5 Organic Substances.The following values, specified as overall carbon, are in all not allowed to be exceeded in exhaust gas:Mass flow:0,50 kg/hr or Mass conc.:50 mg/m <sup>3</sup> At old units with an annual mass flow till 1,5 Mg/a, specified as total carbon, the emissions in exhaust gas are not allowed to exceed 1,5 kg/h.	
<b>1,4-dichlorobenzene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	
<b>α-chlorotoluene</b>	Chapter 5.2.7.1.1 Carcinogenic substances. Class II. As minimum requirement, the following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:1,5 g/hr or Mass conc.:0,5 mg/m <sup>3</sup>	
<b>Hexachlorobuta-1,3-diene</b>	Chapter 5.2.5 Organic Substances, class I. The following values are in all not allowed to be exceeded in the exhaust gas:Mass flow:0,10 kg/hr or Mass conc.:20 mg/m <sup>3</sup>	

### German technical rules for hazardous substances(TRGS)

Component	TRGS	Remark
<b>Methanol</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>1,1-dichloroethylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS	

	721 TRGS 722 TRGS 723 TRGS 724	
<b>1,1,2-trichlorotrifluoroethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>3-chloropropene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Dichloromethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510	
<b>1,1-dichloroethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>cis-dichloroethylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Chloroform</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510	
<b>1,1,1-trichloroethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510	
<b>Carbon tetrachloride</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510	
<b>1,2-dichloroethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Benzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Trichloroethylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510	
<b>1,2-dichloropropane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	

<b>(Z)-1,3-Dichloro-1-propene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Toluene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>1,1,2-trichloroethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510	
<b>Tetrachloroethylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510	
<b>1,2-dibromoethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510	
<b>Chlorobenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Ethylbenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>m-xylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>p-xylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>o-xylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Styrene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>1,1,2,2-tetrachloroethane</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS	

	402 TRGS 500 TRGS 509 TRGS 510	
<b>4-ethyltoluene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>Mesitylene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>1,2,4-trimethylbenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800 TRGS 720 TRGS 721 TRGS 722 TRGS 723 TRGS 724	
<b>1,3-dichlorobenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>1,4-dichlorobenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>α-chlorotoluene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 401 TRGS 410 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>1,2-dichlorobenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>1,2,4-trichlorobenzene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	
<b>Hexachlorobuta-1,3-diene</b>	TRGS 201 TRGS 400 TRGS 555 TRGS 600 TRGS 402 TRGS 401 TRGS 500 TRGS 509 TRGS 510 TRGS 800	

## 15.2 Chemical safety assessment

	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.
--	------------------------------------------------------------------------------------------------

## 16 Other information

### Information on revision

Creation Date	2026/01/08
Revision Date	-
Reason for revision	-

### Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
- [2] IARC, website: <http://www.iarc.fr/>.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.echemportal.org/echemportal/>.

- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.  
 [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.  
 [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.  
 [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.  
 [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

## Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC <sub>50</sub>	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD <sub>50</sub>	Lethal Dose 50%	NTP	National Toxicology Program
EC <sub>50</sub>	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC <sub>x</sub>	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P <sub>ow</sub>	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

## Disclaimer

This Safety Data Sheet (SDS) was prepared according to REACH Regulation. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.